9 1/4"

Weight: 1 lb

10 1/8"

1

3

Project: _ Fixture Type: Quantity: Customer:

Specifications

Material: RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Choice of clear, frosted or prismatic glass.

Electrical:
Medium Base Socket, 200w Maximum or
GU24 Socket.
Approximately 12" of pull wire provided for nost fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are

3





Finish: A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous and is available in either a textured or gloss

5


Modifications:

4

ACCESSORIES*

Consult factory for custom or modified designs.

D610 200w Max Medium Base





	Up to 100w Options			
100GLCL	(Clear Glass)			
100GLFR	(Frosted Glass)			
100GLPR	(Prismatic Glass)			
100GLCLGUP	(Clear Glass & Small Wire Guard)			
100GLFRGUP	(Frosted Glass & Small Wire Guard)			
100GLPRGUP	(Prismatic Glass & Small Wire Guard)			
100GLCLGUPC	(Clear Glass & Cast Guard)			
100GLFRGUPC (Frosted Glass & Cast Guard)				
100GLPRGUPC (Prismatic Glass & Cast Guard)				
100GLGUP	(Small Wire Guard with No Glass)			
100GLGUPC	(Cast Guard with No Glass)			
100GLBG	(White Ball Glass)			
	Up to 200w Options			
200GLCL	(Clear Glass)			
200GLFR	(Frosted Glass)			
200GLPR	(Prismatic Glass)			
200GLCLGUP	(Clear Glass & Large Wire Guard)			
200GLFRGUP	(Frosted Glass & Large Wire Guard)			
200GLPRGUP	(Prismatic Glass & Large Wire Guard)			
200GLCLGUP	(Clear Glass & Large Cast Guard)			
200GLFRGUP	(Frosted Glass & Large Cast Guard)			
200GLPRGUP	(Prismatic Glass & Large Cast Guard)			
200GLGUP	(Large Wire Guard with No Glass)			
200GLGUPC	(Large Cast Guard with No Glass)			
*Cast and Wire Guard Finish will match fixture finish.				

See www.ANPlighting.com for complete fixture warranty

2

GLASS & GUARD*

СВС	(Cast back plate Spun Alum Cover)*							
GR10	(10" Wire Grill)*							
РС	(Button Photo Cell) Remote Only							
sc	(Scroll for	Arms)	*	,				
SLC	(Scroll for Arms)*							
	(Sloped Ceiling Mount Canopy, 20° Max)*							
SQ	(Square	Back F	late)*					
SWL	(Adjustable Locking Swivel)*							
TBK	(Turn Bud	ckle Kit	()*					
*Acce	ssory finis	sh will	matc	h fixture finish.				
5	*Ma	rine Grad		ISHES has an additional charge				
Stan	dard Colors	Standard Grade	Marine Grade*	Premium Colors	Premium Grade	Marine Grade*		
Aspen G	reen	10	10M	High Gloss Black	01	01M		
Cantalou	ре	11	11M	Arctic Silver	14	14M		
Lilac		12	12M	Candy Apple Red	64	64M		
Putty		13	13M	Cobalt Blue	65	65M		
Raw Unfi	nished	40	NA	Caramel	66	66M		
Black		41	41M	Butterscotch	67	67M		
Forest G		42	42M	Black Silver	68	68M		
Bright Red 43			43M	Gunmetal Gray	69	69M		
White 44			44M	Mayan Gold	79	NA		
Bright Blu		45	45M	Textured Desert Stone	80	80M		
Sunny Ye		46	46M	Extreme Chrome	81	81M		
Aqua Gre		47	47M	Graystone	82	82M		
Galvanize	ed	49	NA	Oil Rubbed Bronze	83	83M		

	Grade	Grade.		Grade	Grade.
Aspen Green	10	10M	High Gloss Black	01	01M
Cantaloupe	11	11M	Arctic Silver	14	14M
Lilac	12	12M	Candy Apple Red	64	64M
Putty	13	13M	Cobalt Blue	65	65M
Raw Unfinished	40	NA	Caramel	66	66M
Black	41	41M	Butterscotch	67	67M
Forest Green	42	42M	Black Silver	68	68M
Bright Red	43	43M	Gunmetal Gray	69	69M
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80M
Sunny Yellow	46	46M	Extreme Chrome	81	81M
Aqua Green	47	47M	Graystone	82	82M
Galvanized	49	NA	Oil Rubbed Bronze	83	83M
Navy	50	50M	Carbon Graphite	96	96M
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

Project: _____ Quantity: _____ Customer: _____









Project: ___ _____ Quantity: __ Fixture Type: _ Customer: _

All fabric Color Cords are three conductor, 1/4" diameter





