Specifications MBVB12

10 5/8"
12"

Project: Fixture Type: Quantity: _

Customer:

Specifications

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Choice of clear, frosted or prismatic optional glass.

Electrical: Medium Base Socket, 100w Maximum or

GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

Illuminating

A polyester powder coat high quality finish is A polyester power coat nign quanti minsh is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

Modifications:

Consult factory for custom or modified designs.

MBVB12 100w Max **Medium Base**

Weight: 0.80 lbs **EPA:** 0.36

Catalog Logic MBVB12	- MB	- E6 -	100GLCL	_ CBC - 72	
RLM Style	Light Source	Mounting Source	Glass & Guards	Accessories Finish	ı

Catalog Number 1 2 3 4 5 **MBVB12**

1 LIGHT SOURCE	E & WATTAGES			
GU24 (GU24 Socket)				
MB (Medium Base	Socket, 100w Max)			
2 MOUNTING	SOURCES*			
Arm Mounts (Cast	back plate included)			
E3 E4 E6 E8 E9 E13 E15 E	18 E20 E22 E25 E26 E36			
Wall Mounts				
WM35 WM41 WM55 WM318 WMBVR01 WMBVS01				
Post Mounts				
PM10 PM20 PM30 PM40	PM50 PM319			
Cord I (Includes 1") (See page 3 fo	Mounts** < 5 3/8" canopy) r color cord style)			
	Cord			
BLC (6' Black SJT Cord)	WHC (6' White SJT Cord)			
Solid Fabric	Colored Cords			
BLSF (6' Black)	ORSF (6' Orange)			
GYSF (6' Gray)	LGSF (6' Lime Green)			
CHSF (6' Chocolate Brown)	KGSF (6' Kelly Green)			
WHSF (6' White)	CBSF (6' Cobalt Blue)			
CASF (6' Cardinal)	SBSF (6' Sky Blue)			
Patterned Fabric Colored Cords				
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)			
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)			
NMTPF (6' Navy Mini Tweed)				
Glossy Fabric	Colored Cords			
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)			
CPGF (6' Copper Penny)	BRGF (6' Bronze)			
GOGF (6' Gold)				
Cable Mounts** (Includes 1" x 5 3/8" canopy)				
SSC-BLC (Stainless steel of	cable with 6' Black SJT Cord)			
SSC-WHC (Stainless steel of	cable with 6' White SJT Cord)			
SCC-XXXX (Stainless steel of Replace XXXX with	cable with 6' Color cord. n color cord designation above)			
**Cord/Cable Canopy finish	ı will match fixture finish.			
	Mounts C Flat Canopy)			
1/2" (13/16" OD) Rigid	3/4" (1" OD) Rigid Stems			
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18			
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48			
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96			
*Arm mount, Wall mount of fixture finish.	Stem finish will match			

3	GLASS & GUARD*
	Up to 100w Options
100GLCL	(Clear Glass)
100GLFR	(Frosted Glass)
100GLPR	(Prismatic Glass)
100GLCLGUP	(Clear Glass & Small Wire Guard)
100GLFRGUP	(Frosted Glass & Small Wire Guard)
100GLPRGUP	(Prismatic Glass & Small Wire Guard)
100GLCLGUP	C (Clear Glass & Cast Guard)
100GLFRGUP	C (Frosted Glass & Cast Guard)
100GLPRGUP	C (Prismatic Glass & Cast Guard)
100GLGUP	(Small Wire Guard with No Glass)
100GLGUPC	(Cast Guard with No Glass)
AC	(Stipple Glass Acorn)
100GLBG	(White Ball Glass)
*Cast and Wire	Guard Finish will match fixture finish.


_	
4	ACCESSORIES*
СВС	(Cast back plate Spun Alum Cover)*
GR12	(12" Wire Grill)*
PC	(Button Photo Cell) Remote Only
sc	(Scroll for Arms)*
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*
SQ	(Square Back Plate)*
SWL	(Adjustable Locking Swivel)*
твк	(Turn Buckle Kit)*
*Acce	ssory finish will match fixture finish.

5 * _M		e Finish h	nas an additional charge		
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	M: Gr
Aspen Green	10	10M	High Gloss Black	01	0
Cantaloupe	11	11M	Arctic Silver	14	1
Lilac	12	12M	Candy Apple Red	64	6
Putty	13	13M	Cobalt Blue	65	6
Raw Unfinished	40	NA	Caramel	66	6
Black	41	41M	Butterscotch	67	6
Forest Green	42	42M	Black Silver	68	6
Bright Red	43	43M	Gunmetal Gray	69	6
White	44	44M	Mayan Gold	79	1
Bright Blue	45	45M	Textured Desert Stone	80	8
Sunny Yellow	46	46M	Extreme Chrome	81	8
Aqua Green	47	47M	Graystone	82	8
Galvanized	49	NA	Oil Rubbed Bronze	83	8
Navy	50	50M	Carbon Graphite	96	9
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural Bronze	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			
Consult F	actory for a	dditiona	I paint charges and availa	ability.	

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

Project:	
Fixture Type:	Quantity:
Customer:	



Project:	
Fixture Type:	Quantity:
Cuatamari	

All fabric Color Cords are three conductor, 1/4" diameter





