Specifications MBVB14

6"

Project: Quantity: _ Fixture Type:

Customer:

Specifications

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Choice of clear, frosted or prismatic optional glass.

Electrical: Medium Base Socket, 200w Maximum or

GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

Illuminating

A polyester powder coat high quality finish is A polyester power coat nign quanti minsh is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

Modifications:

Consult factory for custom or modified designs.

MBVB14 200w Max Medium Base

Weight: 0.95 lbs EPA: 0.41

Ostalas I asia						
Catalog Logic	MBVB14 -	MB.	E6 -	100GLCL	- CBC -	72
	RLM Style	Light Source	Mounting Source	Glass & Guards	Accessories	Finish

Catalog Number 1 2 3 4 5 MBVB14

1 LIGHT SOUR	RCE & WATTAGES
GU24 (GU24 Socke	et)
MB (Medium Bas	se Socket, 200w Max)
2 MOUNTII	NG SOURCES*
Arm Mounts (Ca	ast back plate included)
E3 E4 E6 E8 E9 E13 E15	E18 E20 E22 E25 E26 E36
Wa	all Mounts
WM35 WM41 WM55 WI	M318 WMBVR01 WMBVS01
Po	st Mounts
PM10 PM20 PM30 PM40	0 PM50 PM319
Cor (Includes 1 (See page 3	d Mounts** " x 5 3/8" canopy) for color cord style)
	JT Cord
BLC (6' Black SJT Cord	, , , ,
	ic Colored Cords
BLSF (6' Black)	ORSF (6' Orange)
GYSF (6' Gray)	LGSF (6' Lime Green)
CHSF (6' Chocolate Brow WHSF (6' White)	n) KGSF (6' Kelly Green) CBSF (6' Cobalt Blue)
CASF (6' Cardinal)	SBSF (6' Sky Blue)
, ,	bric Colored Cords
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)
NMTPF (6' Navy Mini Tweed)	
Glossy Fab	ric Colored Cords
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)
CPGF (6' Copper Penny)	BRGF (6' Bronze)
GOGF (6' Gold)	la Manustatt
Cab (Includes 1	le Mounts** " x 5 3/8" canopy)
SSC-BLC (Stainless stee	el cable with 6' Black SJT Cord)
SSC-WHC (Stainless stee	el cable with 6' White SJT Cord)
SCC-XXXX (Stainless stee Replace XXXX w	el cable with 6' Color cord. vith color cord designation above)
	ish will match fixture finish.
	em Mounts STC Flat Canopy)
1/2" (13/16" OD) Rigid	3/4" (1" OD) Rigid Stems
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96
*Arm mount, Wall mount fixture finish.	or Stem finish will match

3	GLASS & GUARD*
	Up to 100w Options
100GLCL	(Clear Glass)
100GLFR	(Frosted Glass)
100GLPR	(Prismatic Glass)
100GLCLGUP	(Clear Glass & Small Wire Guard)
100GLFRGUP	(Frosted Glass & Small Wire Guard)
100GLPRGUP	(Prismatic Glass & Small Wire Guard)
100GLCLGUP	C(Clear Glass & Cast Guard)
100GLFRGUP	(Frosted Glass & Cast Guard)
100GLPRGUP	(Prismatic Glass & Cast Guard)
100GLGUP	(Small Wire Guard with No Glass)
100GLGUPC	(Cast Guard with No Glass)
AC	(Stipple Glass Acorn)
100GLBG	(White Ball Glass)
*Cast and Wire	Guard Finish will match fixture finish.


4	ACCESSORIES*	
СВС	(Cast back plate Spun Alum Cover)*	
GR14	(14" Wire Grill)*	
PC	(Button Photo Cell) Remote Only	
sc	(Scroll for Arms)*	
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*	
SQ	(Square Back Plate)*	
SWL	(Adjustable Locking Swivel)*	
твк	(Turn Buckle Kit)*	
*Accessory finish will match fixture finish.		

	Standard	2 1 11113111	nas an additional charge	Premium	Marin
Standard Colors	Grade	Marine	Premium Colors	Grade	Grad
Aspen Green	10	10M	High Gloss Black	01	01N
Cantaloupe	11	11M	Arctic Silver	14	141
Lilac	12	12M	Candy Apple Red	64	64N
Putty	13	13M	Cobalt Blue	65	65N
Raw Unfinished	40	NA	Caramel	66	661
Black	41	41M	Butterscotch	67	67N
Forest Green	42	42M	Black Silver	68	681
Bright Red	43	43M	Gunmetal Gray	69	69N
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	801
Sunny Yellow	46	46M	Extreme Chrome	81	81N
Aqua Green	47	47M	Graystone	82	82N
Galvanized	49	NA	Oil Rubbed Bronze	83	83N
Navy	50	50M	Carbon Graphite	96	96N
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural Bronze	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			
Consult F	actory for a	dditiona	I paint charges and availa	hility	

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

Project: _____ Quantity: _____ Customer: _____



Project: _	
Fixture Type:	Quantity:
Customor	

All fabric Color Cords are three conductor, 1/4" diameter





