ANPLighting

Specifications MBVF14

						Projec	:t:					·	
				Fixture Type	e:		Quar	ntity:					
		Customer:											
		Specifications					🕀 🌉 🕕 🚾 Illuminating						
				Material:					Certifications:				
				RLM shades are constructed spun aluminum. Wall back pla				Arm m	rd mounts are UL Listed for dry locations. n mount, stem mount and wall mount are				
			1	- []		housing are cast aluminu stainless steel. Inside of s	shade is reflective			r wet locations.			
				(white finish for all colors e paint finish. Screw hardw		Finish A poly	ester	powder coat high o	quality f	finish is	
			6"			paint.		for ex	ceptior	cally applied and b nal durability and c	color ret	tention.	
			11 5/8"	5/8" Glass: Choice of clear, frosted or pr			r prismatic optional	cleans	Products undergo an intensive five-step cleansing and pretreatment process for				
						glass.			•	aint adhesion.			
						Electrical: Medium Base Socket, 20	0w Maximum or	Marine humid	e grad lity and	e finish provides s UV protection. T	uperior his coa	salt, ating	
		<u> </u>	GU24 Socket. Approximately 12" of pull wi				withst salt sr	withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty					
			٠	← 14" → fixure. Additional pull wire mount arms and wall mount			e provided for post	and is	and is available in either a textured or gloss surface.				
			I		I				icatio	ns.			
	- 4 4								ult fact	ory for custom or r	nodified	d	
MBV	F14		Weight: 0.95	bs		Catalog Logic							
200w	/ Max		EPA: 0.42			MBV	<u>-14</u> ,- <u>MB</u> ,-,	<u> </u>	1000	SLCL - CBC	5-2	2	
Madi	Beee					RLM		Mounting	Glas				
	um Base					Style	Source	Source	Gua	rds Accessor	ies Fir	nish	
Catalo	g Number		1		2		3	4		5			
		MBVF14		_	_	_	_	_		_			
								_					
1	LIGHT SOURC	E & WATTAGES	3		GLASS & GU	JARD*	5	*Marine Grad		ISHES has an additional charge			
GU24	(GU24 Socket)				Up to 100w Op	tions	Standard Co	Standard	Marine	Premium Colors	Premium		
мв	. ,	Socket, 200w Max)	100G	I CI	(Clear Glass)		Aspen Green	Grade 10	10M	High Gloss Black	Grade 01	Grade* 01M	
							Cantaloupe	11	11M	Arctic Silver	14	14M	
2			100G	LFR	(Frosted Glass)		Lilac	12	12M	Candy Apple Red	64	64M	
E2 E4 E4		back plate included) 18 E20 E22 E25 E26 E36	100G	LPR	(Prismatic Glass)		Putty Raw Unfinished	13 40	13M NA	Cobalt Blue Caramel	65 66	65M 66M	
E3 E4 E6		Mounts	100G	LCLGUP	(Clear Glass & Sn	nall Wire Guard)	Black	40	41M	Butterscotch	67	67M	
WM35 V	VM41 WM55 WM3	100G	100GLFRGUP (Frosted Glass & Small Wire Guard)			Forest Green	42	42M	Black Silver	68	68M		
Post Mounts					(Prismatic Glass &	Small Wire Guard)	Bright Red	43	43M	Gunmetal Gray	69	69M	
PM10 PM20 PM30 PM40 PM50 PM319				100GLPRGUP (Prismatic Glass & Small Wire Guard)			White Bright Blue	44	44M	Mayan Gold Textured Desert Stone	79 80	NA 80M	
	Cord Mounts** (Includes 1" x 5 3/8" capopy)			100GLCLGUPC (Clear Glass & Cast Guard)			Sunny Yellow	46	46M	Extreme Chrome	81	81M	
		< 5 3/8" canopy) r color cord style)	100G	LFRGUPC	(Frosted Glass &	Cast Guard)	Aqua Green	47	47M	Graystone	82	82M	
		Cord	100G	LPRGUPC	(Prismatic Glass	& Cast Guard)	Galvanized	49	NA	Oil Rubbed Bronze	83	83M	
BLC (0		WHC (6' White SJT Cord Colored Cords		LGUP	(Small Wire Guar	d with No Glass)	Navy Architectural Bro	50 onze 51	50M	Carbon Graphite	96	96M	
BLSF (6		ORSF (6' Orange)	100G	LGUPC	(Cast Guard with		Patina Verde	52	52M			_	
GYSF (6	• •	LGSF (6' Lime Green)				,	Copper Clay	53	53M				
CHSF (6 WHSF (6		KGSF (6' Kelly Green) CBSF (6' Cobalt Blue)	100G	LBG	(White Ball Glass)		Silver	56	56M			_	
	' Cardinal)	SBSF (6' Sky Blue)	*Cast	and Wire	Guard Finish will	match fixture finish.	Black Verde Painted Chrome	61 9 70	61M 70M			-	
	Patterned Fabr	ic Colored Cords					Painted Copper	71	71M				
BWHPF	(6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)	4		ACCESSO	RIES*	Textured Black	72	72M				
GYCPF ((6' Gray/Citrus	MOSPF (6' Magenta/Orang		(Cast ba	ack plate Spun Al	-	Matte Black Textured Archite	73	73M				
	Yellow)	Stripe)					Bronze	/6	76M				
	(6' Navy Mini Tweed)			(14" Wir		ata Oalu	Textured White Textured Silver	77	77M 78M				
		Colored Cords	PC		Photo Cell) Rem	ble Only				al paint charges and avail	ability.		
	6' Gun Metal) ' Copper Penny)	SSGF (6' Sterling Silver) BRGF (6' Bronze)	SC	•	or Arms)*	anany 20° May/							
GOGF (6		BKGI (0 BIOIIZE)	SLC		Ceiling Mount Ca	mopy, 20 max)							
	Cable	Mounts** < 5 3/8" canopy)	SQ		e Back Plate)*	(a))*							
SSC-BLC		cable with 6' Black SJT Cord	i) SWL	SWL (Adjustable Locking Swivel)* TBK (Turn Buckle Kit)*									
		cable with 6' White SJT Cord	d)		,								
		cable with 6' Color cord.		essory fir	hish will match f	xture finish.							
	•	n color cord designation abov n will match fixture finish.	ve)										
20.0/0	Stem	Mounts											
1/0" /1	(Includes ST 3/16" OD) Rigid	C Flat Canopy) 3/4" (1" OD) Rigid Stems	6										
	2ST12 2ST18	35T6 3ST12 3ST18											
2ST24 2	2ST36 2ST48	3ST24 3ST36 3ST48	W	ARRAI	NTY								
	2ST60 2ST72 2ST96 3ST60 3ST72 3ST96 *Arm mount, Wall mount or Stem finish will match			See www.ANPlighting.com for complete fixture warranty.									
	unt wall mount or	r Stem finish will match											

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.


Specifications MBVF14

Fixture Type:

Customer:

Project:

Quantity: _____



© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

ANPLighting **Specifications MBVF14** Project: Fixture Type: Quantity: Customer: All fabric Color Cords are three conductor, 1/4" diameter Solid Fabric Colored Cords BLSF | Black CHSF | Chocolate Brown GYSF | Gray WHSF | White CASF | Cardinal ORSF | Orange LGSF | Lime Green KGSF | Kelly Green CBSF | Cobalt Blue SBSF | Sky Blue **Patterned Fabric Colored Cords** BWHPF | Black/White Houndstooth BIHPF | Brown/Ivory Houndstooth GYCPF | Gray/Citrus Yellow MOSPF | Magenta/Orange Stripe NMTPF | Navy Mini Tweed **Glossy Fabric Colored Cords** GMGF | Gun Metal SSGF | Sterling Silver CPGF | Copper Penny BRGF | Bronze GOGF | Gold

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227 ANPlighting.com 08012019