Specifications MBVF16

Quantity:

6"

Material: RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Project: Fixture Type:

Customer: Specifications

Choice of clear, frosted or prismatic optional

Electrical: Medium Base Socket, 200w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

Modifications:

Consult factory for custom or modified designs.

MBVF16 200w Max Medium Base

Weight: 1.25 lbs EPA: 0.51

16"

MBVF16, -, MB,-E6 _ 100GLCL _ CBC - 72 RLM Light Mounting Glass & Accessories Finish Style Source Source Guards

Catalog Number 1 2 3 4 5 MBVF16

CLASS & CHARD

	IVIDVI IO			
1 LIGHT SOURCE	E & WATTAGES			
GU24 (GU24 Socket)				
MB (Medium Base S	ocket, 200w Max)			
2 MOUNTING	SOURCES*			
Arm Mounts (Cast t	pack plate included)			
E3 E4 E6 E8 E9 E13 E15 E18	B E24 E25 E26 E27 E36			
Wall N	Nounts			
WM35 WM41 WM55 WM31	8 WMBVR01 WMBVS01			
Post N	Nounts			
PM10 PM20 PM30 PM40 P	M50 PM319			
Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)				
	Cord			
BLC (6' Black SJT Cord)	WHC (6' White SJT Cord)			
	Colored Cords			
BLSF (6' Black)	ORSF (6' Orange)			
GYSF (6' Gray)	LGSF (6' Lime Green)			
CHSF (6' Chocolate Brown)	KGSF (6' Kelly Green)			
WHSF (6' White)	CBSF (6' Cobalt Blue)			
CASF (6' Cardinal)	SBSF (6' Sky Blue)			
	Colored Cords			
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)			
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)			
NMTPF (6' Navy Mini Tweed)				
Glossy Fabric	Colored Cords			
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)			
CPGF (6' Copper Penny)	BRGF (6' Bronze)			
GOGF (6' Gold)				
Cable Mounts** (Includes 1" x 5 3/8" canopy)				
SSC-BLC (Stainless steel ca	able with 6' Black SJT Cord)			
SSC-WHC (Stainless steel cable with 6' White SJT Cord)				
SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)				
**Cord/Cable Canopy finish will match fixture finish.				
Stem Mounts (Includes STC Flat Canopy)				
1/2" (13/16" OD) Rigid	3/4" (1" OD) Rigid Stems			

3ST6 3ST12 3ST18

3ST24 3ST36 3ST48

3ST60 3ST72 3ST96

2ST6 2ST12 2ST18

2ST24 2ST36 2ST48

2ST60 2ST72 2ST96

*Arm mount, Wall mount or Stem finish will match fixture finish.

3	GLASS & GUARD*	
	Up to 100w Options	
100GLCL	(Clear Glass)	
100GLFR	(Frosted Glass)	
100GLPR	(Prismatic Glass)	
100GLCLGUP	(Clear Glass & Small Wire Guard)	
100GLFRGUP	(Frosted Glass & Small Wire Guard)	
100GLPRGUP	(Prismatic Glass & Small Wire Guard)	
100GLCLGUPC (Clear Glass & Cast Guard)		
100GLFRGUP	(Frosted Glass & Cast Guard)	
100GLPRGUPC (Prismatic Glass & Cast Guard)		
100GLGUP	(Small Wire Guard with No Glass)	
100GLGUPC	(Cast Guard with No Glass)	
100GLBG	(White Ball Glass)	
*Cast and Wire Guard Finish will match fixture finish.		


4	ACCESSORIES*	
СВС	(Cast back plate Spun Alum Cover)*	
GR16	(16" Wire Grill)*	
PC	(Button Photo Cell) Remote Only	
sc	(Scroll for Arms)*	
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*	
SQ	(Square Back Plate)*	
SWL	(Adjustable Locking Swivel)*	
твк	(Turn Buckle Kit)*	
*Accessory finish will match fixture finish.		


5 _{*M}	arine Grade		SHES nas an additional charge		
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marin Grade
Aspen Green	10	10M	High Gloss Black	01	01N
Cantaloupe	11	11M	Arctic Silver	14	14N
Lilac	12	12M	Candy Apple Red	64	64N
Putty	13	13M	Cobalt Blue	65	65N
Raw Unfinished	40	NA	Caramel	66	66N
Black	41	41M	Butterscotch	67	67N
Forest Green	42	42M	Black Silver	68	68N
Bright Red	43	43M	Gunmetal Gray	69	69N
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80N
Sunny Yellow	46	46M	Extreme Chrome	81	81N
Aqua Green	47	47M	Graystone	82	82N
Galvanized	49	NA	Oil Rubbed Bronze	83	83N
Navy	50	50M	Carbon Graphite	96	96N
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural Bronze	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

Project:
Fixture Type: _____ Quantity: _____
Customer: _____







Project:	
Fixture Type:	Quantity:
Customer:	

All fabric Color Cords are three conductor, 1/4" diameter





