Specifications MCFT18

8 1/4"
8 1/4

Weight: 2.0 lbs

Project: __ Fixture Type: __ Quantity: _ Customer:

Specifications

Material:

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast nousing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Glass: Choice of clear, frosted or prismatic glass.

Electrical: Medium Base Socket, 200w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from ixure. Additional pull wire provided for post mount arms and wall mounts

Certifications:

Catalog Logic

Cord mounts are UL Listed for dry locations.

Arm mount, stem mount and wall mount are UL Listed for wet locations.

RLM

Style

MCFT18 -

MB

Light

Source

Mounting

Source

4





Accessories Finish

Finish:

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:
Consult factory for custom or modified designs.

E6 _ 100GLCL _ CBC _ 72

5

Glass &

Guards

MCFT18 200w Max

Medium Base

Catalog Number

2

1 2 3 MCFT18

GLASS & GUARD*

1	LIGHT SOURCE & WATTAGES
GU24	(GU24 Socket)
МВ	(Medium Base Socket, 200w Max)

Arm Mounts (Cast back plate included)

E3 E4 E6 E8 E9 E10 E11 E12 E15 E18 E24 E25 E36

Wall Mounts

MOUNTING SOURCES*

Post Mounts

WM35 WM41 WM55 WM318

PM10 PM20 PM30 PM40 PM50 PM319

	(See page 3 loi	COIOI C	oru style)	
SJT Cord				
BLC	(6' Black SJT Cord)	WHC	(6' White SJT Cord)	
Solid Fabric Colored Cords				

BLSF (6' Black)	ORSF (6' Orange)
GYSF (6' Gray)	LGSF (6' Lime Green)
CHSF (6' Chocolate Brown)	KGSF (6' Kelly Green)
WHSF (6' White)	CBSF (6' Cobalt Blue)
CASF (6' Cardinal)	SBSF (6' Sky Blue)
Patterned Fabri	ic Colored Cords

BWHPF (6' Black/White BIHPF (6' Brown/Ivory

Houndstooth)

GYCPF (6' Gray/Citrus	MOSPF (6' Magenta/Orange
Yellow)	Stripe)
NMTPF (6' Navy Mini Tweed)	

Houndstooth)

Glossy Fabric Colored Cords

GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)
CPGF (6' Copper Penny)	BRGF (6' Bronze)
GOGF (6' Gold)	

SSC-BLC (Stainless steel cable with 6' Black SJT Cord) SSC-WHC (Stainless steel cable with 6' White SJT Cord) SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)

**Cord/Cable Canopy finish will match fixture finish.

Stem Mounts

(includes 310 Flat Callopy)						
1/2"	(13/16" C	D) Rigid	3/4" (1" OD) R	tigid Stems	
2ST6	2ST12	2ST18	3ST6	3ST12	3ST18	
2ST24	2ST36	2ST48	3ST24	3ST36	3ST48	
2ST60	2ST72	2ST96	3ST60	3ST72	3ST96	
*Arm m	ount, W	all mount or	Stem fir	nish will	match	

Up to 100w Options 100GLCL (Clear Glass) 100GLFR (Frosted Glass) 100GLPR (Prismatic Glass) 100GLCLGUP (Clear Glass & Small Wire Guard) 100GLFRGUP (Frosted Glass & Small Wire Guard) 100GLPRGUP (Prismatic Glass & Small Wire Guard) 100GLCLGUPC (Clear Glass & Cast Guard) 100GLFRGUPC (Frosted Glass & Cast Guard) 100GLPRGUPC (Prismatic Glass & Cast Guard) 100GLGUP (Small Wire Guard with No Glass) 100GLGUPC (Cast Guard with No Glass) AC (Stipple Glass Acorn) 100GLBG (White Ball Glass) Up to 200w Options 200GLCL (Clear Glass) 200GLFR (Frosted Glass) 200GLPR (Prismatic Glass) 200GLCLGUP (Clear Glass & Large Wire Guard) (Frosted Glass & Large Wire Guard) 200GLPRGUP (Prismatic Glass & Large Wire Guard) 200GLCLGUPC (Clear Glass & Large Cast Guard) 200GLFRGUPC (Frosted Glass & Large Cast Guard) 200GLPRGUPC (Prismatic Glass & Large Cast Guard) 200GLGUP (Large Wire Guard with No Glass) 200GLGUPC (Large Cast Guard with No Glass)

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

*Cast and Wire Guard Finish will match fixture finish.

4	ACCESSORIES*
СВС	(Cast back plate Spun Alum Cover)*
GR18	(18" Wire Grill)*
PC	(Button Photo Cell) Remote Only
sc	(Scroll for Arms)*
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*
SQ	(Square Back Plate)*
SWL	(Adjustable Locking Swivel)*
твк	(Turn Buckle Kit)*
*Acce	ssory finish will match fixture finish.

Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Mari
Aspen Green	10	10M	High Gloss Black	01	011
Cantaloupe	11	11M	Arctic Silver	14	141
Lilac	12	12M	Candy Apple Red	64	641
Putty	13	13M	Cobalt Blue	65	651
Raw Unfinished	40	NA	Caramel	66	661
Black	41	41M	Butterscotch	67	671
Forest Green	42	42M	Black Silver	68	681
Bright Red	43	43M	Gunmetal Gray	69	691
White	44	44M	Mayan Gold	79	N/
Bright Blue	45	45M	Textured Desert Stone	80	801
Sunny Yellow	46	46M	Extreme Chrome	81	811
Aqua Green	47	47M	Graystone	82	821
Galvanized	49	NA	Oil Rubbed Bronze	83	831
Navy	50	50M	Carbon Graphite	96	961
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

SLC

Project: Fixture Type: _____ Quantity: __ Customer: **GLASS & GUARDS** ARM MOUNTS | Dimensions are Projection x Height | CB included with all arms UP TO 200W MAX Glass Legend: CL = Clear FR = Frosted PR = Prismatic 100 = Small 200 = Large Glass Only (9 1/4" H X 5" W) 200GLCL E8 | 29 1/4" x 12 1/2" **E4** | 26" x 14" **E6** | 26" x 9 1/4" E3 | 32" x 11 7/8" 200GLFR 200GLPR Glass with Cast Guard (10 1/4" H X 5 1/2" W) 200GLCLGUPC **E9** | 28" x 40 5/8" E10 | 52 1/4" x 18" E11 | 35 1/4" x 17 1/4" E12 | 37 3/8" x 2" 200GLFRGUPC 200GLPRGUPC Glass with Wire Guard (10 1/4" H X 5" W) 200GLCLGUP **E25** | 23" x 5 1/4" E15 | 13 3/8" x 10 1/2" E18 | 27 3/4" x 21 3/8" **E24** | 10" x 2" 200GLFRGUP 200GLPRGUP GUPC Guard Only (10 1/4" H X 5 1/2" W) E36 | 20 1/4" x 8" 200GLGUPC (Cast Guard) WALL MOUNTS | Dimensions are Projection x Height | POST MOUNTS | Dimensions are Projection x Height GUP Guard Only (10 1/4" H X 5" W) 200GLGUP (Wire Guard) WM35 | 20 1/2" x 25" WM41 | 10 1/2" x 14 3/4" PM20 | 30 1/8" x 25" PM10 | 14 1/2" x 25" (Acorn Glass -- Clear Stipple Only) WM55 | 20 5/8" x 14 1/4" WM318 | 12" x 12 3/4 PM30 | 21 5/8" x 28 7/8" PM40 | 43 3/8" x 28 7/8" 100GLBG (6" White Ball Glass) PM50 | 27" x 38" PM319 | 16 5/8" x 27 1/2" **ACCESSORIES GR18** PC CBC

SWL

TBK

Project:	
Fixture Type:	Quantity:
Customer:	,

All fabric Color Cords are three conductor, 1/4" diameter





