Specifications ORB12

	Project	:
	Fixture Type	Quantity:
		·
	Specifications	🕀 🎆 🕕 🕅 Illuminating
	Material:	Finish:
	C 3 3/4" → RLM shades are constructed spun aluminum. Wall back	plate and ballast electro-statically applied and baked at 430°
	housing are cast aluminum stainless steel. Inside of sh	ade is reflective Products undergo an intensive five-step
	white finish for all colors ex paint finish. Screw hardwa	ccept galvanized cleansing and pretreatment process for maximum paint adhesion.
	9 1/2" paint.	Marine grade finish provides superior salt,
	Glass: Glass: Choice of clear, frosted or	prismatic glass. humidity and UV protection. This coating withstands up to 3000 hours of continuous
	Electrical:	salt spray, comes with a 5-year warranty and is available in either a textured or gloss
	Medium Base Socket, 100 GU24 Socket.	
	Approximately 12" of pull w fixure. Additional pull wire	provided for post Consult factory for custom or modified
	mount arms and wall mour	ts. designs.
	Certifications: Cord mounts are UL Listed	for dry locations.
	Arm mount, stem mount ar UL Listed for wet locations	
ORB12	Weight: 4.0 lbs Catalog Logic	12 - CL - MB - E6 - CBC - 72
100w Max		
Medium Base	RLM Style	Glass Light Mounting Source Source Accessories Finish
Catalog Number		
	1 2 3	4 5
ORB12		
		FINISHES
1 GLASS	3 MOUNTING SOURCES Continued* Stem Mounts	*Marine Grade Finish has an additional charge
Up to 100w Options	(Includes STC Flat Canopy)	Standard Colors Standard Grade Marine Premium Colors Premium Grade Marine
CL (Clear Glass) FR (Frosted Glass)	1/2" (13/16" OD) Rigid 3/4" (1" OD) Rigid Stems 2ST6 2ST12 2ST18 3ST6 3ST12 3ST18	Aspen Green 10 10M High Gloss Black 01 01M
PR (Prismatic Glass)	2ST6 2ST12 2ST16 3ST6 3ST12 3ST16 2ST24 2ST36 2ST48 3ST24 3ST36 3ST48	Cantaloupe 11 11M Arctic Silver 14 14M Lilac 12 12M Candy Apple Red 64 64M
(,)	2ST60 2ST72 2ST96 3ST60 3ST72 3ST96	Putty 13 13M Cobalt Blue 65 65M
2 LIGHT SOURCE & WATTAGES	*Arm mount, Wall mount or Stem finish will match fixture finish.	Raw Unfinished 40 NA Caramel 66 66M
GU24 (GU24 Socket)		Black 41 41M Butterscotch 67 67M Forest Green 42 42M Black Silver 68 68M
MB (Medium Base Socket, 100w Max)	4 ACCESSORIES*	Bright Red 43 43M Gunmetal Gray 69 69M
3 MOUNTING SOURCES*	CBC (Cast back plate Spun Alum Cover)*	White 44 44M Mayan Gold 79 NA
Arm Mounts (Cast back plate included)	GR12 (12" Wire Grill)*	Bright Blue 45 45M Textured Desert Stone 80 80M Sunny Yellow 46 46M Extreme Chrome 81 81M
E3 E4 E6 E8 E9 E13 E15 E18 E20 E22 E25 E26 E36 E39	PC (Button Photo Cell) Remote Only	Aqua Green 47 47M Graystone 82 82M
Wall Mounts WM35 WM41 WM55 WM318	SC (Scroll for Arms)*	Galvanized 49 NA Oil Rubbed Bronze 83 83M
Post Mounts	SLC (Sloped Ceiling Mount Canopy, 20° Max)*	Navy 50 50M Carbon Graphite 96 96M Architectural Bronze 51 51M 51M
PM10 PM20 PM30 PM40 PM50 PM319	SQ (Square Back Plate)*	Patina Verde 52 52M
Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)	SWL (Adjustable Locking Swivel)*	Copper Clay 53 53M
	TBK (Turn Buckle Kit)*	Silver 56 56M Black Verde 61 61M
SJT Cord BLC (6' Black SJT Cord) WHC (6' White SJT Cord)	*Accessory finish will match fixture finish.	Painted Chrome 70 70M
Solid Fabric Colored Cords		Painted Copper 71 71M
BLSF (6' Black) ORSF (6' Orange)		Textured Black 72 72M Matte Black 73 73M
GYSF (6' Gray) LGSF (6' Lime Green) CHSF (6' Chocolate Brown) KGSF (6' Kelly Green)		Textured Architectural 76 76M
WHSF (6' White) CBSF (6' Cobalt Blue)		Textured White 77 77M
CASF (6' Cardinal) SBSF (6' Sky Blue) Patterned Fabric Colored Cords		Textured Silver 78 78M Consult Factory for additional paint charges and availability.
BWHPF (6' Black/White BIHPF (6' Brown/Ivory		,
Houndstooth) Houndstooth) GYCPF (6' Gray/Citrus MOSPF (6' Magenta/Orange		
Yellow) Stripe)		
NMTPF (6' Navy Mini Tweed)		
Glossy Fabric Colored Cords		
GMGF (6' Gun Metal) SSGF (6' Sterling Silver) CDOF (0' Gun Metal) COC (0' Gun Metal)		
CPGF (6' Copper Penny) BRGF (6' Bronze) GOGF (6' Gold)		
Cable Mounts**		
(Includes 1" x 5 3/8" canopy) SSC-BLC (Stainless steel cable with 6' Black SJT Cord)	WARRANTY	
SSC-WHC (Stainless steel cable with 6' White SJT Cord)	See www.ANPlighting.com for complete fixture warranty.	
SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)		
**Cord/Cable Canopy finish will match fixture finish.		

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.


**Cord/Cable Canopy finish will match fixture finish.

1-800-548-3227

ANPlighting.com



Specifications ORB12



© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

ANPLighting **Specifications ORB12** Project: _____ Quantity: _ Fixture Type: Customer: _ All fabric Color Cords are three conductor, 1/4" diameter Solid Fabric Colored Cords BLSF | Black GYSF | Gray CHSF | Chocolate Brown WHSF | White CASF | Cardinal ORSF | Orange LGSF | Lime Green KGSF | Kelly Green CBSF | Cobalt Blue SBSF | Sky Blue **Patterned Fabric Colored Cords** BWHPF | Black/White Houndstooth BIHPF | Brown/Ivory Houndstooth GYCPF | Gray/Citrus Yellow MOSPF | Magenta/Orange Stripe NMTPF | Navy Mini Tweed **Glossy Fabric Colored Cords** GMGF | Gun Metal SSGF | Sterling Silver CPGF | Copper Penny BRGF | Bronze GOGF | Gold

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227 ANPlighting.com

08012019