


Specifications OSAB42





Medium Base





3-Light Cluster

Weight: 22.0 lbs

Project: _ _____ Quantity: _ Fixture Type: __

Specifications

Material: RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Customer:

Glass:

Choice of clear, frosted or prismatic glass is optional. (Not available with 3-light)

Flat, 92% transmission white acrylic lens, 0.059" thick is optional. (Not available with 3-light)

Electrical: Medium Base Socket, 200w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

Illuminating to the late of th

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:

Consult factory for custom or modified designs.

FINISHES

Finish Cluster Finish

OSAB42 200w Max **Medium Base**

мв





GU24	(GU24 Base)			
змвом	M (3-light medium base curved arm cluster, medium)			
2	MOUNTI	NG SOURCES*		
	Arm Mounts (C	ast back plate included)		
E3 E4 E6	6 E7 E8 E9 E10	E11 E12 E18		
	Cat (Includes	ole Mounts** 1" x 5 3/8" canopy)		
SSC-BLC	(Stainless steel c	able with 6' Black SJT Cord)		
SSC-WHC	(Stainless steel o	cable with 6' White SJT Cord)		
SSC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation below)				
**Cord/Ca	ble Canopy finish	will match fixture finish.		
	•	SJT Cord		
BLC (6' B	lack SJT Cord)	WHC (6' White SJT Cord)		
		ric Colored Cords		
,	Black)	ORSF (6' Orange)		
GYSF (6'	*,	LGSF (6' Lime Green)		
		KGSF (6' Kelly Green)		
WHSF (6'	,	CBSF (6' Cobalt Blue)		
CASF (6'	,	SBSF (6' Sky Blue)		
DWIIDE //		abric Colored Cords BIHPF (6' Brown/Ivory		
	6' Black/White Houndstooth)	Houndstooth)		
	6' Gray/Citrus ⁄ellow)	MOSPF (6' Magenta/Orange Stripe)		
	6' Navy Mini ſweed)			
Glossy Fabric Colored Cords				
GMGF (6'	Gun Metal)	SSGF (6' Sterling Silver)		
CPGF (6' Copper Penny)		BRGF (6' Bronze)		
GOGF (6'	Gold)			
Stem Mounts (Includes STC Flat Canopy)				
,	3/16" OD) Rigid	3/4" (1" OD) Rigid Stems		
2ST6 2	ST12 2ST18	3ST6 3ST12 3ST18		
2ST24 2	ST36 2ST48	3ST24 3ST36 3ST48		
2ST60 2	ST72 2ST96	3ST60 3ST72 3ST96		
*Arm mou finish.	nt, Wall mount or	Stem finish will match fixture		

LAMP BASE

(Medium Base, 200w Max)

3	ACCESSORIES*			
СВС	(Cast back plate Spun Alum Cover)*			
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*			
sQ	(Square Back Plate)*			
WH	(White Flat Acrylic Lens) (Not available with 3-light)			
твк	(Turn Buckle Kit)*			
*Accessory finish will match fixture finish.				
4	GLASS & GUARD* (Not available with 3-light)			
Up to 100w Only				
100GL	CL (Clear Glass)			
100GL	FR (Frosted Glass)			
100GL	PR (Prismatic Glass)			
100GL	CLGUP (Clear Glass & Small Wire Guard)			
100GL	FRGUP (Frosted Glass & Small Wire Guard)			
100GL	PRGUP (Prismatic Glass & Small Wire Guard)			
100GLCLGUPC (Clear Glass & Cast Guard)				
100GLFRGUPC (Frosted Glass & Cast Guard)				
100GLPRGUPC (Prismatic Glass & Cast Guard)				
100GL	GUP (Small Wire Guard with No Glass)			
100GL	GUPC (Cast Guard with No Glass)			

	*Marine Grade Finish has an additional charge					
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade	
Aspen Green	10	10M	High Gloss Black	01	01M	
Cantaloupe	11 12 13	11M	Arctic Silver	14	14M	
Lilac		12M	Candy Apple Red	64	64M	
Putty		13M	Cobalt Blue	65	65M	
Raw Unfinished	40	NA	Caramel	66	66M	
Black	41	41M	Butterscotch	67	67M	
Forest Green	42	42M	Black Silver	68	68M	
Bright Red	43	43M	Gunmetal Gray	69	69M	
White	44	44M	Mayan Gold	79	NA	
Bright Blue	45	45M	Textured Desert Stone	80	80M	
Sunny Yellow	46	46M	Extreme Chrome	81	81M	
Aqua Green	47	47M	Graystone	82	82M	
Galvanized	49	NA	Oil Rubbed Bronze	83	83M	
Navy	50	50M	Carbon Graphite	96	96M	
Architectural Bronze	51	51M				
Patina Verde	52	52M				
Copper Clay	53	53M				
Silver	56	56M				
Black Verde	61	61M				
Painted Chrome	70	70M				
Painted Copper	71	71M				
Textured Black	72	72M				
Matte Black	73	73M				
Textured Architectural Bronze	76	76M				
	77	77M				
Textured White	11					

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

*Cast and Wire Guard Finish will match fixture finish.

GLASS & GUARDS

UP TO 100W MAX


Glass Legend: CL = Clear FR = Frosted PR = Prismatic


100 = Small 200 = Large

Glass Only (6 1/2" H X 4 1/8" W)

100GLCL

Project:	
Fixture Type:	Quantity:
Customer:	
Oubtorner.	





	Project: .	
	Fixture Type: _	Quantity:
 	Customer:	





