Specifications OSOC20

_____ Quantity: _

Project: _

Fixture Type: ____

Specifications

Customer:



Material: RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match , paint.

Electrical:

Medium Base Socket, 200w Maximum or GU24 Socket. Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:

Catalog Logic

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

Finish: A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:

OSOC20 - MB - E6 - SLC - 72

Consult factory for custom or modified designs.

OSOC20 200w Max

Mediu	um Base					RLM Sty	le Lam Base		ountin Source		Finis	sh
Catalog Number			1 2		3	4						
		OSOC2	0 —				—					
1	1 LAMP BASE 3 ACCESSORIES*			ORIES*	4 FINISHES *Marine Grade Finish has an additional charge							
МВ	(Medium Base, 200w Max)	CE	SC (Cas	st back plate Spun /	Alum Cover)*		Standard Colors	Standard	Marine	Premium Colors	Premium	Marine
GU24	(GU24 Base)	SL	SLC (Sloped Ceiling Mount Canopy,		Canopy, 20° Max)*		Aspen Green	Grade 10	10M	High Gloss Black	Grade 01	Grade*

20"

19 5/8"

Weight: 18.0 lbs

2 **MOUNTING SOURCES***

Arm Mounts (Cast back plate included)

Wall Mount

E3 E4 E6 E7 E8 E9 E10 E11 E12 E18

WM55

Cable Mounts**

5 3/8° canopy)								
able with 6' Black SJT Cord)								
able with 6' White SJT Cord)								
able with 6' Color cord. vith color cord designation								
**Cord/Cable Canopy finish will match fixture finish.								
SJT Cord								
WHC (6' White SJT Cord)								
Solid Fabric Colored Cords								

Solid Fabric Colored Cords								
BLSF (6' Black)	ORSF (6' Orange)							
GYSF (6' Gray)	LGSF (6' Lime Green)							
CHSF (6' Chocolate Brown)	KGSF (6' Kelly Green)							
WHSF (6' White)	CBSF (6' Cobalt Blue)							
CASF (6' Cardinal)	SBSF (6' Sky Blue)							
Patterned Fabric Colored Cords								
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)							
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)							
NMTPF (6' Navy Mini Tweed)								
Glossy Fabric Colored Cords								
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)							
CPGF (6' Copper Penny)	BRGF (6' Bronze)							
GOGF (6' Gold)								
Stem Mounts (Includes STC Flat Canopy)								
1/2" (13/16" OD) Rigid	3/4" (1" OD) Rigid Stems							
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18							
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48							
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96							
*Arm mount, Wall mount or Stem finish will match fixture finish.								

СВС	(Cast back plate Spun Alum Cover)*				
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*				
SQ	(Square Back Plate)*				
твк	(Turn Buckle Kit)*				
*Accessory finish will match fixture finish.					

4 FINISHES *Marine Grade Finish has an additional charge								
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade*			
Aspen Green	10	10M	High Gloss Black	01	01M			
Cantaloupe	11	11M	Arctic Silver	14	14M			
Lilac	12	12M	Candy Apple Red	64	64M			
Putty	13	13M	Cobalt Blue	65	65M			
Raw Unfinished	40	NA	Caramel	66	66M			
Black	41	41M	Butterscotch	67	67M			
Forest Green	42	42M	Black Silver	68	68M			
Bright Red	43	43M	Gunmetal Gray	69	69M			
White	44	44M	Mayan Gold	79	NA			
Bright Blue	45	45M	Textured Desert Stone	80	80M			
Sunny Yellow	46	46M	Extreme Chrome	81	81M			
Aqua Green	47	47M	Graystone	82	82M			
Galvanized	49	NA	Oil Rubbed Bronze	83	83M			
Navy	50	50M	Carbon Graphite	96	96M			
Architectural Bronze	51	51M						
Patina Verde	52	52M						
Copper Clay	53	53M						
Silver	56	56M						
Black Verde	61	61M						
Painted Chrome	70	70M						
Painted Copper	71	71M						
Textured Black	72	72M						
Matte Black	73	73M						
Textured Architectural Bronze	76	76M						
Textured White	77	77M						
Textured Silver	78	78M						
Consult Factory for additional paint charges and availability.								

WARRANTY

See www.ANPlighting.com for complete fixture warranty.


© 2022 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

Specifications OSOC20

Project: ____ Fixture Type: ____

Customer:

Quantity: _____




WALL MOUNTS | Dimensions are Projection x Height



SSC



© 2022 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.



© 2022 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227 ANPlighting.com