

Specifications OSPB24







3-Light Cluster

_____ Quantity: Fixture Type: _

Specifications

Material: RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Customer:

Choice of clear, frosted or prismatic glass is optional. (Not available with 3-light)

Medium Base Socket, 200w Maximum or

GU24 Socket.
Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:
Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

Made in USA UL Male in USA Illuminating

Finish:

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:

Consult factory for custom or modified

FINISHES

OSPB24 200w Max **Medium Base**

Medium Base

Weight: 26.0 lbs

Catalog Logic OSPB24 - MB - E6 - CBC - 100GLCL - 72 - 72 - 72 Glass Finish Inside Shade 3-light RLM Lamp Mounting Accessories Finish Cluster Finish Style Base Source

Cata	alog Number	1	2	3	4	5	6	7
	OSPB24 -	-	-	_	_	_	_	_

1	LAMP BASE
МВ	(Medium Base)
GU24	(GU24 Base)
змвѕм	(3-light medium base straight cluster, medium)
2	MOUNTING SOURCES*

GU24	(GU24 Base)						
3MBSM	(3-light medium)	um base straight cluster,					
2 MOUNTING SOURCES*							
Arm	Mounts (Cast	back plate included)					
E3 E4 E6 E	7 E8 E9 E10	E11 E12 E18					
	Wall N	/lount					
WM55							
		Mounts** 5 3/8" canopy)					
SSC-BLC (S	tainless steel c	able with 6' Black SJT Cord)					
SSC-WHC (S	Stainless steel c	able with 6' White SJT Cord)					
SSC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation below)							
**Cord/Cable	Canopy finish	will match fixture finish.					
SJT Cord							
BLC (6' Black	k SJT Cord)	WHC (6' White SJT Cord)					
	Solid Fabric Colored Cords						
BLSF (6' Bla	ick)	ORSF (6' Orange)					
GYSF (6' Gra	ıy)	LGSF (6' Lime Green)					
CHSF (6' Cho	ocolate Brown)	KGSF (6' Kelly Green)					
WHSF (6' Wh	ite)	CBSF (6' Cobalt Blue)					
CASF (6' Car	dinal)	SBSF (6' Sky Blue)					
F	Patterned Fabric Colored Cords						
BWHPF (6' B	lack/White indstooth)	BIHPF (6' Brown/Ivory Houndstooth)					
GYCPF (6' G Yello		MOSPF (6' Magenta/Orange Stripe)					
NMTPF (6' N Twe							
	Glossy Fabric	Colored Cords					
GMGF (6' Gu	ın Metal)	SSGF (6' Sterling Silver)					
CPGF (6' Co	oper Penny)	BRGF (6' Bronze)					

(Includes STC Flat Canopy)

2ST60 2ST72 2ST96 3ST60 3ST72 3ST96

*Arm mount, Wall mount or Stem finish will match fixture finish.

3/4" (1" OD) Rigid Stems

3ST6 3ST12 3ST18

3ST24 3ST36 3ST48

GOGF (6' Gold)

1/2" (13/16" OD) Rigid 2ST6 2ST12 2ST18

2ST24 2ST36 2ST48

Cast back plate Spun Alum Cover)* Ioped Ceiling Mount Canopy, 20° Max)*
loped Ceiling Mount Canopy, 20° Max)*
Square Back Plate)*
Furn Buckle Kit)*
ory finish will match fixture finish.


4	GLASS & GUARD* (Not available with 3-light)					
Up to 100w Only						
100GLCL	(Clear Glass)					
100GLFR	(Frosted Glass)					
100GLPR	(Prismatic Glass)					
100GLCLGUP	(Clear Glass & Small Wire Guard)					
100GLFRGUP	(Frosted Glass & Small Wire Guard)					
100GLPRGUP	(Prismatic Glass & Small Wire Guard)					
100GLCLGUP	C (Clear Glass & Cast Guard)					
100GLFRGUP	(Frosted Glass & Cast Guard)					
100GLPRGUP	(Prismatic Glass & Cast Guard)					
100GLGUP	(Small Wire Guard with No Glass)					
100GLGUPC	(Cast Guard with No Glass)					
*Cast and Wire Guard Finish will match fixture finish.						

Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade' 01M
Aspen Green	10	10M	High Gloss Black		
Cantaloupe	11	11M	Arctic Silver	14	14M
Lilac	12	12M	Candy Apple Red	64	64M
Putty	13	13M	Cobalt Blue	65	65M
Raw Unfinished	40	NA	Caramel	66	66M
Black	41	41M	Butterscotch	67	67M
Forest Green	42	42M	Black Silver	68	68M
Bright Red	43	43M	Gunmetal Gray	69	69M
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80M
Sunny Yellow	46	46M	Extreme Chrome	81	81M
Aqua Green	47	47M	Graystone	82	82M
Galvanized	49	NA	Oil Rubbed Bronze	83	83M
Navy	50	50M	Carbon Graphite	96	96M
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural Bronze	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

Project: _____ Quantity: _____ Customer: _____







WALL MOUNTS | Dimensions are Projection x Height



Project: _____ Quantity: _____ Customer:

All fabric Color Cords are three conductor, 1/4" diameter





