## Specifications OSUL38



3ST6 3ST12 3ST18 3ST24 3ST36 3ST48 3ST60 3ST72 3ST96 WARRANTY

3/4" (1" OD) Rigid Stems

1/2" (13/16" OD) Rigid

\*Arm mount, Wall mount or Stem finish will match fixture finish.

2ST6 2ST12 2ST18 2ST24 2ST36 2ST48

2ST60 2ST72 2ST96

See www.ANPlighting.com for complete fixture warranty.

© 2022 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

## Specifications OSUL38

Fixture Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

Customer: \_\_\_\_\_

Project:

\_ Quantity: \_\_\_\_\_

ARM MOUNTS   Dimensions are Projection x Height   CB included with all arms				GLASS & GUARDS UP TO 100W MAX	
				OP TO 100W MAX   Glass Legend: CL = Clear FR = Frosted PR = Prismatic   100 = Small 200 = Large   Glass Only 61/2" H X 4 1/8" W)	
<b>E3</b>   32" x 11 7/8"	<b>E4</b>   26" x 14"	<b>E6</b>   26" x 9 1/4"	<b>E7</b>   41 1/4" x 9 1/8"	8	100GLCL 100GLFR
$\bigcirc$					100GLPR
		)		Glass with Cast Guard (7 1/2" H X 4 1/8" W)	
<b>E8</b>   29 1/4" x 12 1/2"	<b>E9</b>   28" x 40 5/8"	<b>E10</b>   52 1/4" x 18"	<b>E11</b>   35 1/4" x 17 1/4"		100GLCLGUPC
	$\frown$	l			100GLFRGUPC
				Ð	100GLPRGUPC
				Glass with Wire Guard (7 1/2" H X 4 1/8" W)	
<b>E12</b>   37 3/8" x 2"	<b>E18</b>   27 3/4" x 21 3/8"				100GLCLGUP
					100GLFRGUP
					100GLPRGUP
				Guards Only (7 1/2" H X 4 1/8" W)	
ACCESSORIES					<b>100</b> GLGUPC (Cast Guard)
СВС	SLC S	SQ TB	ik		<b>100</b> GLGUP (Wire Guard)
T	$\leq$				

© 2022 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

3MBQM

ssc



© 2022 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products. 1-800-548-3227 ANPlighting.com