12" 16"

Weight: 3.0 lbs

3

Specifications

Material:

MATERIAN.

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Project: Fixture Type:

Customer:

Choice of clear, frosted or prismatic glass.

Medium Base Socket, 200w Maximum or GU24 Socket. Approximately 12" of pull wire extends from

fixure. Additional pull wire provided for post mount arms and wall mounts.

Catalog Logic

Certifications:Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

RLM

SBW16 -

MB,-

Mounting

Source

Light

Source





Finish:

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:

Consult factory for custom or modified designs.

E6 _ _ 100GLCL _ CBC _ 72

Accessories Finish

Glass &

Guards

SBW16 200w Max

Medium Base



GLASS & GUARD*

1 LIGHT SO	URCE & WATTAGES			
GU24 (GU24 Socke	t)			
MB (Medium Bas	e Socket, 200w Max)			
2 MOUN	TING SOURCES*			
Arm Mounts	(Cast back plate included)			
E3 E4 E6 E8 E9 E10 E11	E12 E13 E15 E18 E24 E25			
Wall Mounts				
WM35 WM41 WM55 WM318				
	Post Mounts			
PM10 PM20 PM30 PM40	PM50 PM319			
Cord Mounts** (Includes 1* x 5 3/8* canopy) (See page 3 for color cord style)				
	SJT Cord			
BLC (6' Black SJT Cord)	, ,			
	abric Colored Cords			
BLSF (6' Black)	ORSF (6' Orange)			
` ,,	SYSF (6' Gray) LGSF (6' Lime Green)			
,	CHSF (6' Chocolate Brown) KGSF (6' Kelly Green)			
WHSF (6' White)	CBSF (6' Cobalt Blue)			
CASF (6' Cardinal)	SBSF (6' Sky Blue)			
Patterned Fabric Colored Cords				
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)			
GYCPF (6' Gray/Citrus Yellow) MOSPF (6' Magenta/Orange Stripe)				
NMTPF (6' Navy Mini Tweed)	NMTPF (6' Navy Mini			
Glossy Fabric Colored Cords				
GMGF (6' Gun Metal) SSGF (6' Sterling Silver)				
CPGF (6' Copper Penny)	BRGF (6' Bronze)			
GOGF (6' Gold)				
Cable Mounts** (Includes 1" x 5 3/8" canopy)				
SSC-BLC (Stainless stee	I cable with 6' Black SJT Cord)			
SSC-WHC (Stainless stee	el cable with 6' White SJT Cord)			
SCC-XXXX (Stainless stee Replace XXXX	el cable with 6' Color cord. K with color cord designation above)			
	sh will match fixture finish.			
Stem Mounts (Includes STC Flat Canopy)				
1/2" (13/16" OD) Rigid	3/4" (1" OD) Rigid Stems			
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18			
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48			
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96			
*Arm mount, Wall mount finish.	or Stem finish will match fixture			


	02/100 G 00/1112	
	Up to 100w Options	
100GLCL	(Clear Glass)	
100GLFR	(Frosted Glass)	
100GLPR	(Prismatic Glass)	
100GLCLGUP	(Clear Glass & Small Wire Guard)	
100GLFRGUP	(Frosted Glass & Small Wire Guard)	
100GLPRGUP	(Prismatic Glass & Small Wire Guard)	
100GLCLGUPC	C(Clear Glass & Cast Guard)	
100GLFRGUPO	(Frosted Glass & Cast Guard)	
100GLPRGUP	(Prismatic Glass & Cast Guard)	
100GLGUP	(Small Wire Guard with No Glass)	
100GLGUPC	(Cast Guard with No Glass)	
AC	(Stipple Glass Acorn)	
100GLBG	(White Ball Glass)	
	Up to 200w Options	
200GLCL	(Clear Glass)	
200GLFR	(Frosted Glass)	
200GLPR	(Prismatic Glass)	
200GLCLGUP	(Clear Glass & Large Wire Guard)	
200GLFRGUP	(Frosted Glass & Large Wire Guard)	
200GLPRGUP	(Prismatic Glass & Large Wire Guard)	
200GLCLGUPC	C (Clear Glass & Large Cast Guard)	
200GLFRGUP	(Frosted Glass & Large Cast Guard)	
200GLPRGUP	C (Prismatic Glass & Large Cast Guard)	
200GLGUP	(Large Wire Guard with No Glass)	
200GLGUPC	(Large Cast Guard with No Glass)	
*Cast and Wire	Guard Finish will match fixture finish.	
WARRA	NTY	

See www.ANPlighting.com for complete fixture warranty.

4	ACCESSORIES*	
СВС	(Cast back plate Spun Alum Cover)*	
GR16	(16" Wire Grill)*	
PC	(Button Photo Cell) Remote Only	
sc	(Scroll for Arms)*	
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*	
SQ	(Square Back Plate)*	
SWL	(Adjustable Locking Swivel)*	
твк	(Turn Buckle Kit)*	
*Accessory finish will match fixture finish.		

*Marine Grade Finish has an additional charge						
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade	
Aspen Green	10	10M	High Gloss Black	01	01M	
Cantaloupe	11	11M	Arctic Silver	14	14M	
Lilac	12	12M	Candy Apple Red	64	64M	
Putty	13	13M	Cobalt Blue	65	65M	
Raw Unfinished	40	NA	Caramel	66	66M	
Black	41	41M	Butterscotch	67	67M	
Forest Green	42	42M	Black Silver	68	68M	
Bright Red	43	43M	Gunmetal Gray	69	69M	
White	44	44M	Mayan Gold	79	NA	
Bright Blue	45	45M	Textured Desert Stone	80	80M	
Sunny Yellow	46	46M	Extreme Chrome	81	81M	
Aqua Green	47	47M	Graystone	82	82M	
Galvanized	49	NA	Oil Rubbed Bronze	83	83M	
Navy	50	50M	Carbon Graphite	96	96M	
Architectural Bronze	51	51M				
Patina Verde	52	52M				
Copper Clay	53	53M				
Silver	56	56M				
Black Verde	61	61M				
Painted Chrome	70	70M				
Painted Copper	71	71M				
Textured Black	72	72M				
Matte Black	73	73M				
Textured Architectural	76	76M				
Textured White	77	77M				
Textured Silver	78	78M				

Project: _____ Quantity: _____ Customer: _____







Project:	
Fixture Type:	Quantity:
Customer:	

All fabric Color Cords are three conductor, 1/4" diameter





