	6 1/2"
W510	Weight: 1 0 lb

100w Max Medium Base

Catalog Number

Project: _ Fixture Type: Quantity:

Specifications

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Customer:

Glass:

Choice of clear, frosted or prismatic glass.

Electrical:

Medium Base Socket, 100w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications:

Catalog Logic

Cord mounts are UL Listed for dry locations Arm mount, stem mount and wall mount are UL Listed for wet locations.





A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

Modifications:

4

ACCESSORIES*

(Cast back plate Spun Alum Cover)*

(Button Photo Cell) Remote Only

(Sloped Ceiling Mount Canopy, 20° Max)*

Consult factory for custom or modified designs.

5

RLM Light Mounting Glass & Style Source Source Guards	Accessories	72 Finish
--	-------------	--------------

4

SC


SLC

GR10 (10" Wire Grill)*

(Scroll for Arms)*

(Square Back Plate)*

3



*Arm mount, Wall mount or Stem finish will match fixture finish.

3	GLASS & GUARD*	
Up to 100w Options		
100GLCL	(Clear Glass)	
100GLFR	(Frosted Glass)	
100GLPR	(Prismatic Glass)	
100GLCLGUP	(Clear Glass & Small Wire Guard)	
100GLFRGUP	(Frosted Glass & Small Wire Guard)	
100GLPRGUP	(Prismatic Glass & Small Wire Guard)	
100GLCLGUPC (Clear Glass & Cast Guard)		
100GLFRGUPC (Frosted Glass & Cast Guard)		
100GLPRGUPC (Prismatic Glass & Cast Guard)		
100GLGUP	(Small Wire Guard with No Glass)	
100GLGUPC	(Cast Guard with No Glass)	
100GLBG	(White Ball Glass)	
*Cast and Wire Guard Finish will match fixture finish.		

2

1

SWL	(Adjustable Locking Swivel)*					
твк	(Turn Buckle Kit)*					
*Accessory finish will match fixture finish.						
Acces	ssory ninis	sn wiii	mate	n nxture nnisn.		
5				ISHES		
*Marine Grade Finish has an additional charge Standard Marine Premium Marine						
Stand	ard Colors	Grade	Grade*	Premium Colors	Grade	Grade*
Aspen Gre	een	10	10M	High Gloss Black	01	01M
Cantaloup	e	11	11M	Arctic Silver	14	14M
Lilac		12	12M	Candy Apple Red	64	64M
Putty		13	13M	Cobalt Blue	65	65M
Raw Unfin	ished	40	NA	Caramel	66	66M
Black		41	41M	Butterscotch	67	67M
Forest Gre	een	42	42M	Black Silver	68	68M
Bright Rec	i	43	43M	Gunmetal Gray	69	69M
White		44	44M	Mayan Gold	79	NA
Bright Blue	е	45	45M	Textured Desert Stone	80	80M
Sunny Yel	low	46	46M	Extreme Chrome	81	81M
Aqua Gree	en	47	47M	Graystone	82	82M
Galvanize	d	49	NA	Oil Rubbed Bronze	83	83M
Navy		50	50M	Carbon Graphite	96	96M
Architectu	ral Bronze	51	51M			
Patina Ver	rde	52	52M			
Copper CI	ay	53	53M			
Silver		56	56M			
Black Verd	de	61	61M			
Painted Cl	hrome	70	70M			
Painted Co	opper	71	71M			
Textured E	Black	72	72M			
Matte Blad	ck	73	73M			

76 76M

77 77M

78M

Consult Factory for additional paint charges and availability

Textured White

Textured Silver

WARRANTY

See www.ANPlighting.com for complete fixture warranty

GLASS & GUARDS

Project: _____ Quantity: _____ Customer: _____









Project:	
Fixture Type:	Quantity:
Customer:	

