ANP Lighting


2ST24 2ST36 2ST48

2ST60 2ST72 2ST96

3ST24 3ST36 3ST48

3ST60 3ST72 3ST96

Specifications WF527



*Arm mount, Wall mount or Stem finish will match fixture finish. See www.ANPlighting.com for complete fixture warranty

ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

© 2019 ANP Lighting. All rights reserved. These specifications are intended for general purposes only.

*Cast and Wire Guard Finish will match fixture finish.

Textured Archite

Textured White

Textured Silver

76 76M

77 77M

78

78M

Consult Factory for additional paint charges and availability.

08012019

Specifications WF527

Project: _____ Fixture Type: _____ Customer: _____

Fixture Type: _____ Quantity: _____

ARM MOUNTS Dimensions are Projection x Height CB included with all arms UP TO 200W MAX DB TO 200W MAX D							
Image: Second CL - Clark - R = Provide PR = Provide	ARM MOUNTS Dimensio	ons are Projection x Height (CB included with all arms				
100 - Samali 200 - Large 100 - LBG	-						
All 22' x 11 78" Ex 26' x 14" Ex 26' x 14" Ex 26' x 12 72" All 22' x 11 78" Ex 26' x 14" Ex 26' x 12 72" 200.0 L L All 22' x 11 78" Ex 26' x 14" Ex 25' x 12 72" 200.0 L L All 22' x 11 78" Ex 26' x 14" Ex 25' x 12 72" 200.0 L L All 22' x 11 78" Ex 152 14" x 17 14" Ex 25' 36" x 2" 200.0 L L All 23' x 21 38" Ex 23' x 5 14" Ex 25' 36" x 2" 200.0 L C VALL MOUNTS Dimensions are Projection x Height 200.0 L C 200.0 L PR			\frown	\frown			
3) 32 × 1176" E4 26' × 14" E5 26' × 9 14" E8 29 14" × 12 12" 20GLFR a) 126' x 40 5/8" E10 52 14" × 18" E11 35 14" × 17 14" E12 37 3/6" × 2" 20GL CLGUPC a) 126' x 40 5/8" E10 52 14" × 18" E11 35 14" × 17 14" E12 37 3/6" × 2" 20GL CLGUPC a) 126' x 41 3/8" E25 23" × 5 14" E12 37 3/6" × 2" 20GL CLGUPC a) 20CL CLGUP 20GL CLGUPC 20GL CLGUP 20GL CLGUP 20GL CLGUP 20GL CLGUP <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Image: Second		•	-			200GLCL	
•) 23' × 40 5/8" E) 15 21 / 4" × 18" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 13 51 / 4" × 17 1 / 4" E) 20 GL/ FRGUPC 20 GL/ ERGUPC 10 27 / 4" × 21 3/8" E) 25 23' × 51 / 4" 20 GL/ FRGUP 20 GL/ ERGUP 20 GL/ ERGUP 20 GL/ ERGUP 20 GL/ GUPC 20 GL/ GUPC 20 GL/ GUPC 20 GL/ GUPC 20 GL/ GUPC 20 GL/ GUPC 20 GL/ GUPC 20 GL/ GUPC Cost Guard Cost Guard D) GUI GUI D) GUI GUP Cost Guard	3 32" x 11 7/8"	E4 26" x 14"	E6 26" x 9 1/4"	E8 29 1/4" x 12 1/2"		200GLFR	
1 1 1 1 1 1 1 2003L CLOUPC 2003L RGUPC 1 </td <td>\bigcap</td> <td>4</td> <td></td> <td></td> <td></td> <td>200GLPR</td>	\bigcap	4				200GLPR	
1/26 X40 50° EUU [52 1/4 X 18 ETT [35 1/4 X 17 1/4 ETZ [37 3/8 X 2' 0 0 0 20 cl.FRGUPC 20 cl.FRGUPC 20 cl.FRGUPC 20 cl.FRGUP 20 cl.FRGUP 20 cl.FRGUP 20 cl.CLGUP 20 cl.CLGUP 20 cl.CLGUP 20 cl.CLGUP 20 cl.CLGUP 20 cl.CUPC (cast Guard) WM55 j 20 5/8" x 14 1/4* 20 cl.CUP VM65 j 20 5/8" x 14 1/4* 20 cl.CUP 20 cl.CUP 20 cl.CUP (Wrie Guard) 20 cl.CUP (1		•	Glass with	Cast Guard (10 1/4" H X 5 1/2" W)	
ACCESSORIES ACCESSORIES <td>9 28" x 40 5/8"</td> <td>E10 52 1/4" x 18"</td> <td>E11 35 1/4" x 17 1/4"</td> <td>E12 37 3/8" x 2"</td> <td></td> <td>200GLCLGUPC</td>	9 28" x 40 5/8"	E10 52 1/4" x 18"	E11 35 1/4" x 17 1/4"	E12 37 3/8" x 2"		200GLCLGUPC	
IB 27 34* x21 38° E25 [23* x 5 14" IB 203LCLGUP 203LCLGUP 203LRGUP 203LCLGUP 203LRGUP 203LCLGUP 203LRGUP 203LCLGUP 203LRGUP 203LGLGUP 203LRGUP 203LGUPC (cast Guard) 000LGUPC 203LGUPC (cast Guard) 200LGUPC 000LGUPC 200LGUPC (cast Guard) 200LGUPC 000D Current 000D Current 000D Current 000D Current 000LGUPC (cast Guard) 000LGUPC (wire Guard)	\frown					200GLFRGUPC	
IN 127 3/4" x 21 3/8" E25 123" x 5 1/4" 200GLCLGUP VALL MOUNTS Dimensions are Projection x Height 0 0 WH55 120 5/8" x 14 1/4" 200GLCLGUP 200GLCLGUP VALL MOUNTS Dimensions are Projection x Height 200GLCLGUPC 200GLCUPC VALL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUP 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS Dimensions are Projection x Height 200GLGUPC 200GLGUPC VIAL MOUNTS DIMENSION ARE					B	200GLPRGUPC	
IB 127 3/4" x 21 3/8" E25 23" x 5 1/4" VALL MOUNTS Dimensions are Projection x Height WHALL MOUNTS Dimensions are Projection x Height 200GLCRGUP Color 200GLCUPC Color					Glass with Wire Guard (10 1/4" H X 5" W)		
VALL MOUNTS Dimensions are Projection x Height 20GLPRGUP WM55 20 5/8" x 14 1/4" 20GLQUPC Cast Guard) 20GLGUPC Cast Guard) 20GLGUPC Wire Guard) 20GLGUPC Corr Glass Clear Stipple Or Image: Stippe Or	18 27 3/4" x 21 3/8"	E25 23" x 5 1/4"					
WALL MOUNTS Dimensions are Projection x Height GUPC Guard Only (10 1/4" H X 5 1/2" W) WM55 20 5/8" x 14 1/4" 20GLGUPC (Cast Guard) GUP Guard Only (10 1/4" H X 5" W) 0 <		<u> </u>				200GLFRGUP	
VALL MOUNTS Dimensions are Projection x Height Image: Constraint of the symbol 200GLGUPC (Cast Guard) WM55 20 5/8" x 14 1/4" Image: Constraint of the symbol COP Guard Only (10 1/4" H X 5" W) ACCESSORIES Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constraint of the symbol Image: Constre Image: Constraint of the s						200GLPRGUP	
ACCESSORIES Image: Constraint of the second seco					GUPC Gu	uard Only (10 1/4" H X 5 1/2" W)	
WM55 20 5/8" x 14 1/4" Image: Constraint of the second seco	WALL MOUNTS Dimensi	ions are Projection x Height					
WM55 20 5/8" x 14 1/4" Image: Constraint of the second seco						GUP Guard Only (10 1/4" H X 5" W)	
ACCESSORIES (Acorn Glass Clear Stipple Or	WM55 20 5/8" x 14 1/4"					200GLGUP	
	ACCESSORIES					AC (Acorn Glass Clear Stipple Only)	
	СВС	GR27	PC	SC			

твк

SLC

SQ

© 2019 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

SWL

Project: ______ Quantity: ______

Customer: All fabric Color Cords are three conductor, 1/4" diameter Solid Fabric Colored Cords BLSF | Black CHSF | Chocolate Brown GYSF | Gray WHSF | White CASF | Cardinal ORSF | Orange LGSF | Lime Green KGSF | Kelly Green CBSF | Cobalt Blue SBSF | Sky Blue **Patterned Fabric Colored Cords** BWHPF | Black/White Houndstooth BIHPF | Houndstooth GYCPF | Gray/Citrus Yellow MOSPF | Magenta/Orange Stripe NMTPF | Navy Mini Tweed **Glossy Fabric Colored Cords** GMGF | Gun Metal SSGF | Sterling Silver CPGF | Copper Penny BRGF | Bronze GOGF | Gold

ANPLighting

© 2019 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products. 1-800-548-3227 ANPlighting.com 08012019