

ANP Lighting

Easy Order RLM VOL 10



CREE 
LEDs

PRE-CONFIGURED METAL SHADE FIXTURES



PRODUCTS SHIP IN 3 WEEKS

LOW MINIMUM FREIGHT POLICY

LED OPTIONS AVAILABLE ON ALL STYLES

OTHER COLOR CHOICES AVAILABLE

For complete line visit: anplighting.com



TABLE OF CONTENTS

PAGE / PRODUCT

4	16" Warehouse Shade: LED	40	Vaportite Series: LED
5	16" Warehouse Shade: Incandescent/Fluorescent	41	Vaportite Series: Incandescent/Fluorescent
6	16" Warehouse Shade: Incandescent	42	Vaportite Series: Incandescent/Fluorescent
7	16" Warehouse Shade: Fluorescent	43	Vaportite Series: LED
8	18" Warehouse Shade: LED	44	Vaportite Series: Incandescent/Fluorescent
9	18" Warehouse Shade: Incandescent/Fluorescent	45	Vaportite Series: Incandescent/Fluorescent
10	18" Warehouse Shade: Incandescent	46	Vaportite Series: Incandescent/Fluorescent
11	18" Warehouse Shade: Fluorescent	47	Vaportite Series: LED
12	20" Warehouse Shade: LED	48	Vaportite Series: Incandescent/Fluorescent
13	20" Warehouse Shade: Incandescent/Fluorescent	49	Vaportite Series: Incandescent/Fluorescent
14	20" Warehouse Shade: Incandescent	50	16" Radial Shade: LED
15	20" Warehouse Shade: Fluorescent	51	16" Radial Shade: Incandescent/Fluorescent
16	12" Orbitor Shade: LED	52	16" Radial Shade: Incandescent
17	12" Orbitor Shade: Incandescent/Fluorescent	53	16" Radial Shade: Fluorescent
18	12" Orbitor Shade: Incandescent	54	18" Radial Shade: LED
19	12" Orbitor Shade: Fluorescent	55	18" Radial Shade: Incandescent/Fluorescent
20	16" Orbitor Shade: LED	56	18" Radial Shade: Incandescent
21	16" Orbitor Shade: Incandescent/Fluorescent	57	18" Radial Shade: Fluorescent
22	16" Orbitor Shade: Incandescent	58	16" Deep Bowl Shade: LED
23	16" Orbitor Shade: Fluorescent	59	16" Deep Bowl Shade: Incandescent/Fluorescent
24	16" Orbitor Shade: LED	60	16" Deep Bowl Shade: Incandescent
25	16" Orbitor Shade: Incandescent/Fluorescent	61	16" Deep Bowl Shade: Fluorescent
26	16" Orbitor Shade: Incandescent	62	18" Deep Bowl Shade: LED
27	16" Orbitor Shade: Fluorescent	63	18" Deep Bowl Shade: Incandescent/Fluorescent
28	18" Orbitor Shade: LED	64	18" Deep Bowl Shade: Incandescent
29	18" Orbitor Shade: Incandescent/Fluorescent	65	18" Deep Bowl Shade: Fluorescent
30	18" Orbitor Shade: Incandescent	66	20" Post Mount Series: LED
31	18" Orbitor Shade: Fluorescent	67	20" Post Mount Series: Incandescent
32	12" Angle Shade: LED	68	Two 20" Post Mount Series: LED
33	12" Angle Shade: Incandescent/Fluorescent	69	Two 20" Post Mount Series: Incandescent
34	14" Angle Shade: LED	70	Products
35	14" Angle Shade: Incandescent/Fluorescent	71	Technical Specifications
36	12" Emblem Shade: LED		
37	12" Emblem Shade: Incandescent/Fluorescent		
38	14" Emblem Shade: LED		
39	14" Emblem Shade: Incandescent/Fluorescent		

ARM / CEILING / CORD



◀ **W516-M016LDNW40K-RTC-E6-41**

16" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in Black.

▶ **W516-M016LDNW40K-RTC-BLC-41**

16" Warehouse shade with 16w LED module and driver housing canopy all in Black on 8' Black cord. For White cord, change BLC to WHC.



◀ **W516-M016LDNW40K-RTC-E6-42**

16" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in Forest Green.

▶ **W516-M016LDNW40K-RTC-BLC-42**

16" Warehouse shade with 16w LED module and driver housing canopy all in Forest Green on 8' Black cord. For White cord, change BLC to WHC.



◀ **W516-M016LDNW40K-RTC-E6-44**

16" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in White.

▶ **W516-M016LDNW40K-RTC-BLC-44**

16" Warehouse shade with 16w LED module and driver housing canopy all in White on 8' Black cord. For White cord, change BLC to WHC.



◀ **W516-M016LDNW40K-RTC-E6-49**

16" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in Galvanized.

▶ **W516-M016LDNW40K-RTC-BLC-49**

16" Warehouse shade with 16w LED module and driver housing canopy all in Galvanized on 8' Black cord. For White cord, change BLC to WHC.



16" WAREHOUSE SHADE: Incandescent | Fluorescent

ARM



◀ **W516-E6-41**

16" Warehouse Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 200w.



▶ **W516-32WPL-RTC-E6-100GLFR-GUPC-41**

16" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W516-E6-42**

16" Warehouse Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 200w.



▶ **W516-32WPL-RTC-E6-100GLFR-GUPC-42**

16" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W516-E6-44**

16" Warehouse Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 200w.



▶ **W516-32WPL-RTC-E6-100GLFR-GUPC-44**

16" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W516-E6-49**

16" Warehouse Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 200w.



▶ **W516-32WPL-RTC-E6-100GLFR-GUPC-49**

16" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

16" WAREHOUSE SHADE: Incandescent

CEILING / CORD



◀ W516-BLC-41

16" Warehouse Shade in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ W516-WHC-41

16" Warehouse Shade in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ W516-BLC-42

16" Warehouse Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ W516-WHC-42

16" Warehouse Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ W516-BLC-44

16" Warehouse Shade in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ W516-WHC-44

16" Warehouse Shade in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ W516-BLC-49

16" Warehouse Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ W516-WHC-49

16" Warehouse Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



16" WAREHOUSE SHADE: Fluorescent

CEILING / CORD



◀ **W516-32WPL-RTC-BLC-100GLFR-GUPC-41**

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

W516-32WPL-RTC-WHC-100GLFR-GUPC-41 ▶

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W516-32WPL-RTC-BLC-100GLFR-GUPC-42**

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

W516-32WPL-RTC-WHC-100GLFR-GUPC-42 ▶

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W516-32WPL-RTC-BLC-100GLFR-GUPC-44**

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

W516-32WPL-RTC-WHC-100GLFR-GUPC-44 ▶

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W516-32WPL-RTC-BLC-100GLFR-GUPC-49**

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

W516-32WPL-RTC-WHC-100GLFR-GUPC-49 ▶

16" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



18" WAREHOUSE SHADE: LED



ARM / CEILING / CORD



◀ **W518-M016LDNW40K-RTC-E6-41**

18" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in Black.

▶ **W518-M016LDNW40K-RTC-BLC-41**

18" Warehouse shade with 16w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC.



◀ **W518-M016LDNW40K-RTC-E6-42**

18" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in Forest Green.

▶ **W518-M016LDNW40K-RTC-BLC-42**

18" Warehouse shade with 16w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC.



◀ **W518-M016LDNW40K-RTC-E6-44**

18" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in White.

▶ **W518-M016LDNW40K-RTC-BLC-44**

18" Warehouse shade with 16w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC.



◀ **W518-M016LDNW40K-RTC-E6-49**

18" Warehouse shade with 16w LED module and driver housing canopy mounted on an E6 arm in Galvanized.

▶ **W518-M016LDNW40K-RTC-BLC-49**

18" Warehouse shade with 16w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC.



18" WAREHOUSE SHADE: Incandescent | Fluorescent

ARM



◀ **W518-E6-41**
18" Warehouse Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 300w.



W518-32WPL-RTC-E6-100GLFR-GUPC-41 ▶
18" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W518-E6-42**
18" Warehouse Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 300w.



W518-32WPL-RTC-E6-100GLFR-GUPC-42 ▶
18" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W518-E6-44**
18" Warehouse Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 300w.



W518-32WPL-RTC-E6-100GLFR-GUPC-44 ▶
18" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **W518-E6-49**
18" Warehouse Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 300w.



W518-32WPL-RTC-E6-100GLFR-GUPC-49 ▶
18" Warehouse Shade with Frosted Glass, Cast Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

18" WAREHOUSE SHADE: Incandescent

CEILING / CORD



◀ W518-BLC-41

18" Warehouse Shade in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.



▶ W518-WHC-41

18" Warehouse Shade in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



◀ W518-BLC-42

18" Warehouse Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.



▶ W518-WHC-42

18" Warehouse Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



◀ W518-BLC-44

18" Warehouse Shade in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.



▶ W518-WHC-44

18" Warehouse Shade in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



◀ W518-BLC-49

18" Warehouse Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.



▶ W518-WHC-49

18" Warehouse Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.

18" WAREHOUSE SHADE: Fluorescent

CEILING / CORD



- ◀ **W518-32WPL-RTC-BLC-100GLFR-GUPC-41**
18" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **W518-32WPL-RTC-WHC-100GLFR-GUPC-41**

- 18" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



- ◀ **W518-32WPL-RTC-BLC-100GLFR-GUPC-42**
18" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **W518-32WPL-RTC-WHC-100GLFR-GUPC-42**

- 18" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



- ◀ **W518-32WPL-RTC-BLC-100GLFR-GUPC-44**
18" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **W518-32WPL-RTC-WHC-100GLFR-GUPC-44**

- 18" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



- ◀ **W518-32WPL-RTC-BLC-100GLFR-GUPC-49**
18" Warehouse Shade with Frosted Glass, Cast Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **W518-32WPL-RTC-WHC-100GLFR-GUPC-49**

- 18" Warehouse Shade with Frosted Glass, Cast Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



20" WAREHOUSE SHADE: LED



ARM / CEILING / CORD



◀ **W520-M024LDNW40K-RTC-E6-41**

20" Warehouse shade with 24w LED module and driver housing canopy mounted on an E6 arm in Black.

W520-M024LDNW40K-RTC-BLC-41 ▶

20" Warehouse shade with 24w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC.



◀ **W520-M024LDNW40K-RTC-E6-42**

20" Warehouse shade with 24w LED module and driver housing mounted on an E6 arm in Forest Green.

W520-M024LDNW40K-RTC-BLC-42 ▶

20" Warehouse shade with 24w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC.



◀ **W520-M024LDNW40K-RTC-E6-44**

20" Warehouse shade with 24w LED module and driver housing canopy mounted on an E6 arm in White.

W520-M024LDNW40K-RTC-BLC-44 ▶

20" Warehouse shade with 24w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC.



◀ **W520-M024LDNW40K-RTC-E6-49**

20" Warehouse shade with 24w LED module and driver housing canopy mounted on an E6 arm in Galvanized.

W520-M024LDNW40K-RTC-BLC-49 ▶

20" Warehouse shade with 24w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC.



20" WAREHOUSE SHADE: Incandescent | Fluorescent

ARM



◀ W520-E6-41

20" Warehouse Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 300w.



▶ W520-42WPL-RTC-E6-200GLFR-GUP-41

20" Warehouse Shade with Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ W520-E6-42

20" Warehouse Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 300w.



▶ W520-42WPL-RTC-E6-200GLFR-GUP-42

20" Warehouse Shade with Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ W520-E6-44

20" Warehouse Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 300w.



▶ W520-42WPL-RTC-E6-200GLFR-GUP-44

20" Warehouse Shade with Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ W520-E6-49

20" Warehouse Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 300w.



▶ W520-42WPL-RTC-E6-200GLFR-GUP-49

20" Warehouse Shade with Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

20" WAREHOUSE SHADE: Incandescent

CEILING / CORD



◀ W520-BLC-41

20" Warehouse Shade in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.

▶ W520-WHC-41

20" Warehouse Shade in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



◀ W520-BLC-42

20" Warehouse Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.

▶ W520-WHC-42

20" Warehouse Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



◀ W520-BLC-44

20" Warehouse Shade in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.

▶ W520-WHC-44

20" Warehouse Shade in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



◀ W520-BLC-49

20" Warehouse Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 300w.

▶ W520-WHC-49

20" Warehouse Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 300w.



20" WAREHOUSE SHADE: Fluorescent

CEILING / CORD



- ◀ **W520-42WPL-RTC-BLC-200GLFR-GUP-41**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

- ▶ **W520-42WPL-RTC-WHC-200GLFR-GUP-41**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



- ◀ **W520-42WPL-RTC-BLC-200GLFR-GUP-42**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

- ▶ **W520-42WPL-RTC-WHC-200GLFR-GUP-42**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



- ◀ **W520-42WPL-RTC-BLC-200GLFR-GUP-44**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

- ▶ **W520-42WPL-RTC-WHC-200GLFR-GUP-44**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



- ◀ **W520-42WPL-RTC-BLC-200GLFR-GUP-49**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

- ▶ **W520-42WPL-RTC-WHC-200GLFR-GUP-49**
20" Warehouse Shade with Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



12" ORBITOR SHADE: LED



ARM / CEILING / CORD



◀ **ORB12-FR-M016LDNW40K-RTC-E6-41**
12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in Black. Also available in Clear Glass.

▶ **ORB12-FR-M016LDNW40K-RTC-BLC-41**

12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB12-FR-M016LDNW40K-RTC-E6-42**
12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in Forest Green. Also available in Clear Glass.

▶ **ORB12-FR-M016LDNW40K-RTC-BLC-42**

12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB12-FR-M016LDNW40K-RTC-E6-44**
12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in White. Also available in Clear Glass.

▶ **ORB12-FR-M016LDNW40K-RTC-BLC-44**

12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB12-FR-M016LDNW40K-RTC-E6-49**
12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in Galvanized. Also available in Clear Glass.

▶ **ORB12-FR-M016LDNW40K-RTC-BLC-49**

12" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



12" ORBITOR SHADE: Incandescent | Fluorescent

ARM



◀ ORB12-FR-E6-41

12" Orbitor Shade with Frosted Glass with E6 Arm in Black. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB12-FR-32WPL-RTC-E6-41

12" Orbitor Shade with Frosted Glass with E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB12-FR-E6-42

12" Orbitor Shade with Frosted Glass with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB12-FR-32WPL-RTC-E6-42

12" Orbitor Shade with Frosted Glass with E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB12-FR-E6-44

12" Orbitor Shade with Frosted Glass with E6 Arm in White. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB12-FR-32WPL-RTC-E6-44

12" Orbitor Shade with Frosted Glass with E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB12-FR-E6-49

12" Orbitor Shade with Frosted Glass with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB12-FR-32WPL-RTC-E6-49

12" Orbitor Shade with Frosted Glass with E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

12" ORBITOR SHADE: Incandescent

CEILING / CORD



◀ **ORB12-FR-BLC-41**

12" Orbitor Shade with Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.

ORB12-FR-WHC-41 ▶

12" Orbitor Shade with Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



◀ **ORB12-FR-BLC-42**

12" Orbitor Shade with Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.

ORB12-FR-WHC-42 ▶

12" Orbitor Shade with Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



◀ **ORB12-FR-BLC-44**

12" Orbitor Shade with Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.

ORB12-FR-WHC-44 ▶

12" Orbitor Shade with Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



◀ **ORB12-FR-BLC-49**

12" Orbitor Shade with Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.

ORB12-FR-WHC-49 ▶

12" Orbitor Shade with Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



12" ORBITOR SHADE: Fluorescent

CEILING / CORD



◀ ORB12-FR-32WPL-RTC-BLC-41

12" Orbitor Shade with Frosted Glass in Black with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ ORB12-FR-32WPL-RTC-WHC-41

12" Orbitor Shade with Frosted Glass in Black with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB12-FR-32WPL-RTC-BLC-42

12" Orbitor Shade with Frosted Glass in Forest Green with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ ORB12-FR-32WPL-RTC-WHC-42

12" Orbitor Shade with Frosted Glass in Forest Green with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB12-FR-32WPL-RTC-BLC-44

12" Orbitor Shade with Frosted Glass in White with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ ORB12-FR-32WPL-RTC-WHC-44

12" Orbitor Shade with Frosted Glass in White with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB12-FR-32WPL-RTC-BLC-49

12" Orbitor Shade with Frosted Glass in Galvanized with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ ORB12-FR-32WPL-RTC-WHC-49

12" Orbitor Shade with Frosted Glass in Galvanized with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



16" ORBITOR SHADE: LED



ARM / CEILING / CORD



◀ **ORB16-FR-M016LDNW40K-RTC-E6-41**

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in Black. Also available in Clear Glass.

ORB16-FR-M016LDNW40K-RTC-BLC-41 ▶

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB16-FR-M016LDNW40K-RTC-E6-42**

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in Forest Green. Also available in Clear Glass.

ORB16-FR-M016LDNW40K-RTC-BLC-42 ▶

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB16-FR-M016LDNW40K-RTC-E6-44**

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in White. Also available in Clear Glass.

ORB16-FR-M016LDNW40K-RTC-BLC-44 ▶

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB16-FR-M016LDNW40K-RTC-E6-49**

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy mounted on an E6 arm in Galvanized. Also available in Clear Glass.

ORB16-FR-M016LDNW40K-RTC-BLC-49 ▶

16" Orbitor Shade including Frosted Glass with a 16w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



16" ORBITOR SHADE: Incandescent | Fluorescent

ARM



◀ ORB16-FR-E6-41

16" Orbitor Shade with Frosted Glass with E6 Arm in Black. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB16-FR-32WPL-RTC-E6-41

16" Orbitor Shade with Frosted Glass with E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB16-FR-E6-42

16" Orbitor Shade with Frosted Glass with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB16-FR-32WPL-RTC-E6-42

16" Orbitor Shade with Frosted Glass with E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB16-FR-E6-44

16" Orbitor Shade with Frosted Glass with E6 Arm in White. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB16-FR-32WPL-RTC-E6-44

16" Orbitor Shade with Frosted Glass with E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ ORB16-FR-E6-49

16" Orbitor Shade with Frosted Glass with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ ORB16-FR-32WPL-RTC-E6-49

16" Orbitor Shade with Frosted Glass with E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

16" ORBITOR SHADE: Incandescent

CEILING / CORD



◀ **ORB16-FR-BLC-41**

16" Orbitor Shade with Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ **ORB16-FR-WHC-41**

16" Orbitor Shade with Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



◀ **ORB16-FR-BLC-42**

16" Orbitor Shade with Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ **ORB16-FR-WHC-42**

16" Orbitor Shade with Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



◀ **ORB16-FR-BLC-44**

16" Orbitor Shade with Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ **ORB16-FR-WHC-44**

16" Orbitor Shade with Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



◀ **ORB16-FR-BLC-49**

16" Orbitor Shade with Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.



▶ **ORB16-FR-WHC-49**

16" Orbitor Shade with Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 100w. Also available in Clear Glass.

16" ORBITOR SHADE: Fluorescent

CEILING / CORD




◀ **ORB16-FR-32WPL-RTC-BLC-41**

16" Orbitor Shade with Frosted Glass in Black with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **ORB16-FR-32WPL-RTC-WHC-41**

16" Orbitor Shade with Frosted Glass in Black with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **ORB16-FR-32WPL-RTC-BLC-42**

16" Orbitor Shade with Frosted Glass in Forest Green with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **ORB16-FR-32WPL-RTC-WHC-42**

16" Orbitor Shade with Frosted Glass in Forest Green with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **ORB16-FR-32WPL-RTC-BLC-44**

16" Orbitor Shade with Frosted Glass in White with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **ORB16-FR-32WPL-RTC-WHC-44**

16" Orbitor Shade with Frosted Glass in White with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ **ORB16-FR-32WPL-RTC-BLC-49**

16" Orbitor Shade with Frosted Glass in Galvanized with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **ORB16-FR-32WPL-RTC-WHC-49**

16" Orbitor Shade with Frosted Glass in Galvanized with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



16" ORBITOR SHADE: LED



ARM / CEILING / CORD



◀ **ORB216-FR-M024LDNW40K-RTC-E6-41**

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in Black. Also available in Clear Glass.

ORB216-FR-M024LDNW40K-RTC-BLC-41 ▶

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB216-FR-M024LDNW40K-RTC-E6-42**

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in Forest Green. Also available in Clear Glass.

ORB216-FR-M024LDNW40K-RTC-BLC-42 ▶

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB216-FR-M024LDNW40K-RTC-E6-44**

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in White. Also available in Clear Glass.

ORB216-FR-M024LDNW40K-RTC-BLC-44 ▶

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB216-FR-M024LDNW40K-RTC-E6-49**

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in Galvanized. Also available in Clear Glass.

ORB216-FR-M024LDNW40K-RTC-BLC-49 ▶

16" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



16" ORBITOR SHADE: Incandescent | Fluorescent

ARM



◀ **ORB216-FR-E6-41**

16" Orbitor Shade, Frosted Glass in Black with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



ORB216-FR-42WPL-RTC-E6-41 ▶

16" Orbitor Shade with Frosted Glass, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB216-FR-E6-42**

16" Orbitor Shade, Frosted Glass in Forest Green with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



ORB216-FR-42WPL-RTC-E6-42 ▶

16" Orbitor Shade with Frosted Glass, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB216-FR-E6-44**

16" Orbitor Shade, Frosted Glass in White with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



ORB216-FR-42WPL-RTC-E6-44 ▶

16" Orbitor Shade with Frosted Glass, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB216-FR-E6-49**

16" Orbitor Shade, Frosted Glass in Galvanized with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



ORB216-FR-42WPL-RTC-E6-49 ▶

16" Orbitor Shade with Frosted Glass, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

16" ORBITOR SHADE: Incandescent

CEILING / CORD



◀ **ORB216-FR-BLC-41**

16" Orbitor Shade, Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB216-FR-WHC-41 ▶

16" Orbitor Shade, Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



◀ **ORB216-FR-BLC-42**

16" Orbitor Shade, Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB216-FR-WHC-42 ▶

16" Orbitor Shade, Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



◀ **ORB216-FR-BLC-44**

16" Orbitor Shade, Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB216-FR-WHC-44 ▶

16" Orbitor Shade, Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



◀ **ORB216-FR-BLC-49**

16" Orbitor Shade, Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB216-FR-WHC-49 ▶

16" Orbitor Shade, Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



16" ORBITOR SHADE: Fluorescent

CEILING / CORD



◀ **ORB216-FR-42WPL-RTC-BLC-41**

16" Orbitor Shade with Frosted Glass in Black with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB216-FR-42WPL-RTC-WHC-41 ▶

16" Orbitor Shade with Frosted Glass in Black with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB216-FR-42WPL-RTC-BLC-42**

16" Orbitor Shade with Frosted Glass in Forest Green with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB216-FR-42WPL-RTC-WHC-42 ▶

16" Orbitor Shade with Frosted Glass in Forest Green with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB216-FR-42WPL-RTC-BLC-44**

16" Orbitor Shade with Frosted Glass in White with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB216-FR-42WPL-RTC-WHC-44 ▶

16" Orbitor Shade with Frosted Glass in White with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB216-FR-42WPL-RTC-BLC-49**

16" Orbitor Shade with Frosted Glass in Galvanized with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB216-FR-42WPL-RTC-WHC-49 ▶

16" Orbitor Shade with Frosted Glass in Galvanized with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



18" ORBITOR SHADE: LED



ARM / CEILING / CORD



◀ **ORB218-FR-M024LDNW40K-RTC-E6-41**

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in Black. Also available in Clear Glass.

ORB218-FR-M024LDNW40K-RTC-BLC-41 ▶

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB218-FR-M024LDNW40K-RTC-E6-42**

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in Forest Green. Also available in Clear Glass.

ORB218-FR-M024LDNW40K-RTC-BLC-42 ▶

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB218-FR-M024LDNW40K-RTC-E6-44**

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in White. Also available in Clear Glass.

ORB218-FR-M024LDNW40K-RTC-BLC-44 ▶

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



◀ **ORB218-FR-M024LDNW40K-RTC-E6-49**

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy mounted on an E6 arm in Galvanized. Also available in Clear Glass.

ORB218-FR-M024LDNW40K-RTC-BLC-49 ▶

18" Orbitor Shade including Frosted Glass with a 24w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC. Also available in Clear Glass.



18" ORBITOR SHADE: Incandescent | Fluorescent

ARM



◀ **ORB218-FR-E6-41**

18" Orbitor Shade, Frosted Glass in Black with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



▶ **ORB218-FR-42WPL-RTC-E6-41**

18" Orbitor Shade with Frosted Glass, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB218-FR-E6-42**

18" Orbitor Shade, Frosted Glass in Forest Green with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



▶ **ORB218-FR-42WPL-RTC-E6-42**

18" Orbitor Shade with Frosted Glass, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass..



◀ **ORB218-FR-E6-44**

18" Orbitor Shade, Frosted Glass in White with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



▶ **ORB218-FR-42WPL-RTC-E6-44**

18" Orbitor Shade with Frosted Glass, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **ORB218-FR-E6-49**

18" Orbitor Shade, Frosted Glass in Galvanized with E6 Arm. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



▶ **ORB218-FR-42WPL-RTC-E6-49**

18" Orbitor Shade with Frosted Glass, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

18" ORBITOR SHADE: Incandescent

CEILING / CORD



◀ **ORB218-FR-BLC-41**

18" Orbitor Shade, Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB218-FR-WHC-41 ▶

18" Orbitor Shade, Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



◀ **ORB218-FR-BLC-42**

18" Orbitor Shade, Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB218-FR-WHC-42 ▶

18" Orbitor Shade, Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



◀ **ORB218-FR-BLC-44**

18" Orbitor Shade, Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB218-FR-WHC-44 ▶

18" Orbitor Shade, Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



◀ **ORB218-FR-BLC-49**

18" Orbitor Shade, Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.

ORB218-FR-WHC-49 ▶

18" Orbitor Shade, Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w. Also available in Clear Glass.



18" ORBITOR SHADE: Fluorescent

CEILING / CORD



◀ ORB218-FR-42WPL-RTC-BLC-41

18" Orbitor Shade with Frosted Glass in Black with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB218-FR-42WPL-RTC-WHC-41 ▶

18" Orbitor Shade with Frosted Glass in Black with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ ORB218-FR-42WPL-RTC-BLC-42

18" Orbitor Shade with Frosted Glass in Forest Green with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB218-FR-42WPL-RTC-WHC-42 ▶

18" Orbitor Shade with Frosted Glass in Forest Green with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ ORB218-FR-42WPL-RTC-BLC-44

18" Orbitor Shade with Frosted Glass in White with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB218-FR-42WPL-RTC-WHC-44 ▶

18" Orbitor Shade with Frosted Glass in White with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ ORB218-FR-42WPL-RTC-BLC-49

18" Orbitor Shade with Frosted Glass in Galvanized with 8" Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

ORB218-FR-42WPL-RTC-WHC-49 ▶

18" Orbitor Shade with Frosted Glass in Galvanized with 8" White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



ARM



- ◀ **A812-M016LDNW40K-RTC-E6-41**
12" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Black.



- ◀ **A812-M016LDNW40K-RTC-E6-42**
12" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.



- ◀ **A812-M016LDNW40K-RTC-E6-44**
12" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in White.



- ◀ **A812-M016LDNW40K-RTC-E6-49**
12" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.

12" ANGLE SHADE: Incandescent | Fluorescent

ARM



◀ **A812-E6-41**

12" Angle Shade with E6 Arm in Black.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A812-32WPL-RTC-E6-100GLFR-GUPC-41**

12" Angle Shade with Frosted Glass,
Cast Guard, E6 Arm in Black and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.



◀ **A812-E6-42**

12" Angle Shade with E6 Arm in Forest Green.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A812-32WPL-RTC-E6-100GLFR-GUPC-42**

12" Angle Shade with Frosted Glass,
Cast Guard, E6 Arm in Forest Green and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.



◀ **A812-E6-44**

12" Angle Shade with E6 Arm in White.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A812-32WPL-RTC-E6-100GLFR-GUPC-44**

12" Angle Shade with Frosted Glass,
Cast Guard, E6 Arm in White and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.



◀ **A812-E6-49**

12" Angle Shade with E6 Arm in Galvanized.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A812-32WPL-RTC-E6-100GLFR-GUPC-49**

12" Angle Shade with Frosted Glass,
Cast Guard, E6 Arm in Galvanized and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.

ARM



- ◀ **A814-M016LDNW40K-RTC-E6-41**
14" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Black.



- ◀ **A814-M016LDNW40K-RTC-E6-42**
14" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.



- ◀ **A814-M016LDNW40K-RTC-E6-44**
14" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in White.



- ◀ **A814-M016LDNW40K-RTC-E6-49**
14" Angle Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.

14" ANGLE SHADE: Incandescent | Fluorescent

ARM



◀ **A814-E6-41**

14" Angle Shade with E6 Arm in Black.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A814-42WPL-RTC-E6-200GLFR-GUP-41**

14" Angle Shade with Frosted Glass,
Wire Guard, E6 Arm in Black and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.



◀ **A814-E6-42**

14" Angle Shade with E6 Arm in Forest Green.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A814-42WPL-RTC-E6-200GLFR-GUP-42**

14" Angle Shade with Frosted Glass,
Wire Guard, E6 Arm in Forest Green and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.



◀ **A814-E6-44**

14" Angle Shade with E6 Arm in White.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A814-42WPL-RTC-E6-200GLFR-GUP-44**

14" Angle Shade with Frosted Glass,
Wire Guard, E6 Arm in White and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.



◀ **A814-E6-49**

14" Angle Shade with E6 Arm in Galvanized.
Medium Base Socket.
Maximum Wattage 200w.



▶ **A814-42WPL-RTC-E6-200GLFR-GUP-49**

14" Angle Shade with Frosted Glass,
Wire Guard, E6 Arm in Galvanized and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.

ARM



- ◀ **M712-M016LDNW40K-RTC-E6-41**
12" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Black.



- ◀ **M712-M016LDNW40K-RTC-E6-42**
12" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.



- ◀ **M712-M016LDNW40K-RTC-E6-44**
12" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in White.



- ◀ **M712-M016LDNW40K-RTC-E6-49**
12" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.

12" EMBLEM SHADE: Incandescent | Fluorescent

ARM



◀ M712-E6-41

12" Emblem Shade with E6 Arm in Black.
Medium Base Socket.
Maximum Wattage 200w.



▶ M712-32WPL-RTC-E6-100GLFR-GUPC-41

12" Emblem Shade with Frosted Glass,
Cast Guard, E6 Arm in Black and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.



◀ M712-E6-42

12" Emblem Shade with E6 Arm in Forest Green.
Medium Base Socket.
Maximum Wattage 200w.



▶ M712-32WPL-RTC-E6-100GLFR-GUPC-42

12" Emblem Shade with Frosted Glass,
Cast Guard, E6 Arm in Forest Green and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.



◀ M712-E6-44

12" Emblem Shade with E6 Arm in White.
Medium Base Socket.
Maximum Wattage 200w.



▶ M712-32WPL-RTC-E6-100GLFR-GUPC-44

12" Emblem Shade with Frosted Glass,
Cast Guard, E6 Arm in White and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.



◀ M712-E6-49

12" Emblem Shade with E6 Arm in Galvanized.
Medium Base Socket.
Maximum Wattage 200w.



▶ M712-32WPL-RTC-E6-100GLFR-GUPC-49

12" Emblem Shade with Frosted Glass,
Cast Guard, E6 Arm in Galvanized and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent
ballast accommodates 26WCFL or 32WCFL.
Also available in Clear Glass.

ARM



◀ **M714-M016LDNW40K-RTC-E6-41**

14" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Black.



◀ **M714-M016LDNW40K-RTC-E6-42**

14" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.



◀ **M714-M016LDNW40K-RTC-E6-44**

14" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in White.



◀ **M714-M016LDNW40K-RTC-E6-49**

14" Emblem Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.

14" EMBLEM SHADE: Incandescent | Fluorescent

ARM



◀ M714-E6-41

14" Emblem Shade with E6 Arm in Black.
Medium Base Socket.
Maximum Wattage 200w.



▶ M714-42WPL-RTC-E6-200GLFR-GUP-41

14" Emblem Shade with Frosted Glass,
Wire Guard, E6 Arm in Black and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.



◀ M714-E6-42

14" Emblem Shade with E6 Arm in Forest Green.
Medium Base Socket.
Maximum Wattage 200w.



▶ M714-42WPL-RTC-E6-200GLFR-GUP-42

14" Emblem Shade with Frosted Glass,
Wire Guard, E6 Arm in Forest Green and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.



◀ M714-E6-44

14" Emblem Shade with E6 Arm in White.
Medium Base Socket.
Maximum Wattage 200w.



▶ M714-42WPL-RTC-E6-200GLFR-GUP-44

14" Emblem Shade with Frosted Glass,
Wire Guard, E6 Arm in White and RTC Ballast Housing
with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.



◀ M714-E6-49

14" Emblem Shade with E6 Arm in Galvanized.
Medium Base Socket.
Maximum Wattage 200w.



▶ M714-42WPL-RTC-E6-200GLFR-GUP-49

14" Emblem Shade with Frosted Glass,
Wire Guard, E6 Arm in Galvanized and RTC Ballast
Housing with Fluorescent Ballast. Fluorescent ballast
accommodates 26WCFL, 32WCFL, or 42WCFL.
Also available in Clear Glass.

WALL MOUNT



◀ **VTW100GLCL-M016LDNW40K-RTCNC-GUP-49**

Wall Mount 16w LED Vaportite and driver housing with Clear Glass and a Wire Guard in Galvanized finish.
Also available in Frosted Glass.

▶ **VTW100GLCL-M016LDNW40K-RTCNC-GUPC-49**

Wall Mount 16w LED Vaportite and driver housing with Clear Glass and a Cast Guard in Galvanized finish.
Also available in Frosted Glass.



◀ **VTW100GLCL-M016LDNW40K-RTCNC-GUP-VTS-49**

Wall Mount 16w LED Vaportite and driver housing with Clear Glass, a Wire Guard and shade in Galvanized finish.
Also available in Frosted Glass.

▶ **VTW100GLCL-M016LDNW40K-RTCNC-GUPC-VTS-49**

Wall Mount 16w LED Vaportite and driver housing with Clear Glass, a Cast Guard and shade in Galvanized finish.
Also available in Frosted Glass.



◀ **VTW200GLCL-M024LDNW40K-RTCNC-GUP-49**

Wall Mount 24w LED Vaportite and driver housing with Clear Glass and a Wire Guard in Galvanized finish.
Also available in Frosted Glass.

▶ **VTW200GLCL-M024LDNW40K-RTCNC-GUPC-49**

Wall Mount 24w LED Vaportite and driver housing with Clear Glass and a Cast Guard in Galvanized finish.
Also available in Frosted Glass.



◀ **VTW200GLCL-M024LDNW40K-RTCNC-GUP-VTS-49**

Wall Mount 24w LED Vaportite and driver housing with Clear Glass, a Wire Guard and shade in Galvanized finish.
Also available in Frosted Glass.

▶ **VTW200GLCL-M024LDNW40K-RTCNC-GUPC-VTS-49**

Wall Mount 24w LED Vaportite and driver housing with Clear Glass, a Cast Guard and shade in Galvanized finish.
Also available in Frosted Glass.



VAPORTITE SERIES: Incandescent | Fluorescent

WALL MOUNT



◀ **VTW100GLCL-GUP-49**

Wall Mount Incandescent Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.

VTW100GLCL-32WPL-RTCNC-GUP-49 ▶

Wall Mount Fluorescent Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTW100GLCL-GUP-CVTS-49**

Wall Mount Incandescent Vaportite with Clear Glass, a Wire Guard and Cut Shade in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.

VTW100GLCL-32WPL-RTCNC-GUP-CVTS-49 ▶

Wall Mount Fluorescent Vaportite with Clear Glass, a Wire Guard and Cut Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTW200GLCL-GUP-49**

Wall Mount Incandescent Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.

VTW200GLCL-42WPL-RTCNC-GUP-49 ▶

Wall Mount Fluorescent Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



◀ **VTW200GLCL-GUP-CVTS-49**

Wall Mount Incandescent Vaportite with Clear Glass, a Wire Guard and Cut Shade in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.

VTW200GLCL-42WPL-RTCNC-GUP-CVTS-49 ▶

Wall Mount Fluorescent Vaportite with Clear Glass, a Wire Guard and Cut Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



VAPORTITE SERIES: Incandescent | Fluorescent

WALL MOUNT



◀ **VTW100GLCL-GUPC-49**

Wall Mount Incandescent Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.

▶ **VTW100GLCL-32WPL-RTCNC-GUPC-49**

Wall Mount Fluorescent Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTW100GLCL-GUPC-CVTS-49**

Wall Mount Incandescent Vaportite with Clear Glass, a Cast Guard and Cut Shade in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.

▶ **VTW100GLCL-32WPL-RTCNC-GUPC-CVTS-49**

Wall Mount Fluorescent Vaportite with Clear Glass, a Cast Guard and Cut Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTW200GLCL-GUPC-49**

Wall Mount Incandescent Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.

▶ **VTW200GLCL-42WPL-RTCNC-GUPC-49**

Wall Mount Fluorescent Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



◀ **VTW200GLCL-GUPC-CVTS-49**

Wall Mount Incandescent Vaportite with Clear Glass, a Cast Guard and Cut Shade in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.

▶ **VTW200GLCL-42WPL-RTCNC-GUPC-CVTS-49**

Wall Mount Fluorescent Vaportite with Clear Glass, a Cast Guard and Cut Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



VAPORTITE SERIES: Incandescent | Fluorescent

CEILING MOUNT



◀ VTC100GLCL-GUP-49

Incandescent Ceiling Mounted Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



VTC100GLCL-GUPC-49 ▶

Incandescent Ceiling Mounted Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



◀ VTC100GLCL-32WPL-RTCNC-GUP-49

Fluorescent Ceiling Mounted Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

VTC100GLCL-32WPL-RTCNC-GUPC-49 ▶

Fluorescent Ceiling Mounted Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ VTC200GLCL-GUP-49

Incandescent Ceiling Mounted Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.

VTC200GLCL-GUPC-49 ▶

Incandescent Ceiling Mounted Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



◀ VTC200GLCL-42WPL-RTCNC-GUP-49

Fluorescent Ceiling Mounted Vaportite with Clear Glass and a Wire Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.

VTC200GLCL-42WPL-RTCNC-GUPC-49 ▶

Fluorescent Ceiling Mounted Vaportite with Clear Glass and a Cast Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



See page 71 for specifications.

CORD PENDANT



◀ **VTP100GLCL-M016LDNW40K-RTC-BLC-GUP-49**
16w LED Vaportite Pendant with Clear Glass and a Wire Guard hung on 8' of Black cord including Canopy in Galvanized finish.
Also available in Frosted Glass.

▶ **VTP100GLCL-M016LDNW40K-RTC-BLC-GUPC-49**

16w LED Vaportite Pendant with Clear Glass and a Cast Guard hung on 8' of Black cord including Canopy in Galvanized finish.
Also available in Frosted Glass.



◀ **VTP100GLCL-M016LDNW40K-RTC-BLC-GUP-VTS-49**

16w LED Vaportite Pendant with Clear Glass, a Wire Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish.
Also available in Frosted Glass.

▶ **VTP100GLCL-M016LDNW40K-RTC-BLC-GUPC-VTS-49**

16w LED Vaportite Pendant with Clear Glass, a Cast Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish.
Also available in Frosted Glass.



◀ **VTP200GLCL-M024LDNW40K-RTC-BLC-GUP-49**
24w LED Vaportite Pendant with Clear Glass and a Wire Guard hung on 8' of Black cord including Canopy in Galvanized finish.
Also available in Frosted Glass.

▶ **VTP200GLCL-M024LDNW40K-RTC-BLC-GUPC-49**

24w LED Vaportite Pendant with Clear Glass and a Cast Guard hung on 8' of Black cord including Canopy in Galvanized finish.
Also available in Frosted Glass.



◀ **VTP200GLCL-M024LDNW40K-RTC-BLC-GUP-VTS-49**

24w LED Vaportite Pendant with Clear Glass, a Wire Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish.
Also available in Frosted Glass.

▶ **VTP200GLCL-M024LDNW40K-RTC-BLC-GUPC-VTS-49**

24w LED Vaportite Pendant with Clear Glass, a Cast Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish.
Also available in Frosted Glass.



VAPORTITE SERIES: Incandescent | Fluorescent

CORD PENDANT



◀ VTP100GLCL-BLC-GUP-49

Incandescent Vaportite Pendant with Clear Glass and a Wire Guard hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.

▶ VTP100GLCL-BLC-GUPC-49

Incandescent Vaportite Pendant with Clear Glass and a Cast Guard hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



◀ VTP100GLCL-32WPL-RTC-BLC-GUP-49

Fluorescent Vaportite Pendant with Clear Glass and a Wire Guard hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

▶ VTP100GLCL-32WPL-RTC-BLC-GUPC-49

Fluorescent Vaportite Pendant with Clear Glass and a Cast Guard hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ VTP100GLCL-BLC-GUP-VTS-49

Incandescent Vaportite Pendant with Clear Glass, a Wire Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.

▶ VTP100GLCL-BLC-GUPC-VTS-49

Incandescent Vaportite Pendant with Clear Glass, a Cast Guard and Shade hung on 8' of Black cord including Canopy in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



◀ VTP100GLCL-32WPL-RTC-BLC-GUP-VTS-49

Fluorescent Vaportite Pendant with Clear Glass, a Wire Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

▶ VTP100GLCL-32WPL-RTC-BLC-GUPC-VTS-49

Fluorescent Vaportite Pendant with Clear Glass, a Cast Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



VAPORTITE SERIES: Incandescent | Fluorescent

CORD PENDANT



◀ VTP200GLCL-BLC-GUP-49

Incandescent Vaportite Pendant with Clear Glass and a Wire Guard hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



VTP200GLCL-BLC-GUPC-49 ▶

Incandescent Vaportite Pendant with Clear Glass and a Cast Guard hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



◀ VTP200GLCL-42WPL-RTC-BLC-GUP-49

Fluorescent Vaportite Pendant with Clear Glass and a Wire Guard hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.

VTP200GLCL-42WPL-RTC-BLC-GUPC-49 ▶

Fluorescent Vaportite Pendant with Clear Glass and a Cast Guard hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



◀ VTP200GLCL-BLC-GUP-VTS-49

Incandescent Vaportite Pendant with Clear Glass, a Wire Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.

VTP200GLCL-BLC-GUPC-VTS-49 ▶

Incandescent Vaportite Pendant with Clear Glass, a Cast Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



◀ VTP200GLCL-42WPL-RTC-BLC-GUP-VTS-49

Fluorescent Vaportite Pendant with Clear Glass, a Wire Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.

VTP200GLCL-42WPL-RTC-BLC-GUPC-VTS-49 ▶

Fluorescent Vaportite Pendant with Clear Glass, a Cast Guard and Shade hung on 8' of Black cord including canopy in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



ARM



◀ **VTP100GLCL-M016LDNW40K-RTCNC-E22-GUP-49**
 16w LED Vaportite mounted on a straight arm with Clear Glass and a Wire Guard in Galvanized finish.
 Also available in Frosted Glass.



▶ **VTP100GLCL-M016LDNW40K-RTCNC-E22-GUPC-49**
 16w LED Vaportite mounted on a straight arm with Clear Glass and a Cast Guard in Galvanized finish.
 Also available in Frosted Glass.



◀ **VTP100GLCL-M016LDNW40K-RTCNC-E22-GUP-VTS-49**
 16w LED Vaportite mounted on a straight arm with Clear Glass, a Wire Guard and Shade in Galvanized finish.
 Also available in Frosted Glass.



▶ **VTP100GLCL-M016LDNW40K-RTCNC-E22-GUPC-VTS-49**
 16w LED Vaportite mounted on a straight arm with Clear Glass, a Cast Guard and Shade in Galvanized finish.
 Also available in Frosted Glass.



◀ **VTP200GLCL-M024LDNW40K-RTCNC-E22-GUP-49**
 24w LED Vaportite mounted on a straight arm with Clear Glass and a Wire Guard in Galvanized finish.
 Also available in Frosted Glass.



▶ **VTP200GLCL-M024LDNW40K-RTCNC-E22-GUPC-49**
 24w LED Vaportite mounted on a straight arm with Clear Glass and a Cast Guard in Galvanized finish.
 Also available in Frosted Glass.



◀ **VTP200GLCL-M024LDNW40K-RTCNC-E22-GUP-VTS-49**
 24w LED Vaportite mounted on a straight arm with Clear Glass, a Wire Guard and Shade in Galvanized finish.
 Also available in Frosted Glass.



▶ **VTP200GLCL-M024LDNW40K-RTCNC-E22-GUPC-VTS-49**
 24w LED Vaportite mounted on a straight arm with Clear Glass, a Cast Guard and Shade in Galvanized finish.
 Also available in Frosted Glass.

VAPORTITE SERIES: Incandescent | Fluorescent

ARM



◀ **VTP100GLCL-E22-GUP-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass and a Wire Guard in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



▶ **VTP100GLCL-32WPL-RTCNC-E22-GUP-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass and a Wire Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass..



◀ **VTP100GLCL-E22-GUP-VTS-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass, a Wire Guard and Shade in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



▶ **VTP100GLCL-32WPL-RTCNC-E22-GUP-VTS-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass, a Wire Guard and Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTP200GLCL-E22-GUP-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass and a Wire Guard in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



▶ **VTP200GLCL-42WPL-RTCNC-E22-GUP-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass and a Wire Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



◀ **VTP200GLCL-E22-GUP-VTS-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass, a Wire Guard and Shade in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



▶ **VTP200GLCL-42WPL-RTCNC-E22-GUP-VTS-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass, a Wire Guard and Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.

VAPORTITE SERIES: Incandescent | Fluorescent

ARM



◀ **VTP100GLCL-E22-GUPC-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass and a Cast Guard in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



▶ **VTP100GLCL-32WPL-RTCNC-E22-GUPC-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass and a Cast Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTP100GLCL-E22-GUPC-VTS-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass, a Cast Guard and Shade in Galvanized finish. Maximum Wattage 100w. Also available in Frosted Glass.



▶ **VTP100GLCL-32WPL-RTCNC-E22-GUPC-VTS-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass, a Cast Guard and Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



◀ **VTP200GLCL-E22-GUPC-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass and a Cast Guard in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



▶ **VTP200GLCL-42WPL-RTCNC-E22-GUPC-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass and a Cast Guard in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.



◀ **VTP200GLCL-E22-GUPC-VTS-49**

Incandescent Vaportite mounted on a Straight Arm with Clear Glass, a Cast Guard and Shade in Galvanized finish. Maximum Wattage 200w. Also available in Frosted Glass.



▶ **VTP200GLCL-42WPL-RTCNC-E22-GUPC-VTS-49**

Fluorescent Vaportite mounted on a Straight Arm with Clear Glass, a Cast Guard and Shade in Galvanized finish. Fluorescent ballast accommodates 26WCFL, 32WCFL or 42WCFL. Also available in Frosted Glass.

16" RADIAL SHADE: LED



ARM / CEILING / CORD



◀ **R916-M016LDNW40K-RTC-E6-41**
16" Radial Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Black.



▶ **R916-M016LDNW40K-RTC-BLC-41**
16" Radial Shade with a 16w LED module and driver housing canopy all in Black on an 8' Black cord.
For White cord, change BLC to WHC.



◀ **R916-M016LDNW40K-RTC-E6-42**
16" Radial Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.



▶ **R916-M016LDNW40K-RTC-BLC-42**
16" Radial Shade with a 16w LED module and driver housing canopy all in Forest Green on an 8' Black cord.
For White cord, change BLC to WHC.



◀ **R916-M016LDNW40K-RTC-E6-44**
16" Radial Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in White.



▶ **R916-M016LDNW40K-RTC-BLC-44**
16" Radial Shade with a 16w LED module and driver housing canopy all in White on an 8' Black cord.
For White cord, change BLC to WHC.



◀ **R916-M016LDNW40K-RTC-E6-49**
16" Radial Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.



▶ **R916-M016LDNW40K-RTC-BLC-49**
16" Radial Shade with a 16w LED module and driver housing canopy all in Galvanized on an 8' Black cord.
For White cord, change BLC to WHC.

16" RADIAL SHADE: Incandescent | Fluorescent

ARM



◀ R916-E6-41

16" Radial Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 200w.



▶ R916-32WPL-RTC-E6-100GLFR-GUPC-41

16" Radial Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in Black. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ R916-E6-42

16" Radial Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 200w.



▶ R916-32WPL-RTC-E6-100GLFR-GUPC-42

16" Radial Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in Forest Green. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ R916-E6-44

16" Radial Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 200w.



▶ R916-32WPL-RTC-E6-100GLFR-GUPC-44

16" Radial Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in White. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ R916-E6-49

16" Radial Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 200w.



▶ R916-32WPL-RTC-E6-100GLFR-GUPC-49

16" Radial Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in Galvanized. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

16" RADIAL SHADE: Incandescent

CEILING / CORD



◀ R916-BLC-41

16" Radial Shade in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ R916-WHC-41

16" Radial Shade in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ R916-BLC-42

16" Radial Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ R916-WHC-42

16" Radial Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ R916-BLC-44

16" Radial Shade in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ R916-WHC-44

16" Radial Shade in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ R916-BLC-49

16" Radial Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ R916-WHC-49

16" Radial Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.

16" RADIAL SHADE: Fluorescent

CEILING / CORD



- ◀ **R916-32WPL-RTC-BLC-100GLCL-GUPC-41**
16" Radial Shade with Clear Glass, Cast Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

- R916-32WPL-RTC-WHC-100GLCL-GUPC-41** ▶
16" Radial Shade with Clear Glass, Cast Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



- ◀ **R916-32WPL-RTC-BLC-100GLCL-GUPC-42**
16" Radial Shade with Clear Glass, Cast Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

- R916-32WPL-RTC-WHC-100GLCL-GUPC-42** ▶
16" Radial Shade with Clear Glass, Cast Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



- ◀ **R916-32WPL-RTC-BLC-100GLCL-GUPC-44**
16" Radial Shade with Clear Glass, Cast Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

- R916-32WPL-RTC-WHC-100GLCL-GUPC-44** ▶
16" Radial Shade with Clear Glass, Cast Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



- ◀ **R916-32WPL-RTC-BLC-100GLCL-GUPC-49**
16" Radial Shade with Clear Glass, Cast Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.

- R916-32WPL-RTC-WHC-100GLCL-GUPC-49** ▶
16" Radial Shade with Clear Glass, Cast Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Frosted Glass.



18" RADIAL SHADE: LED



ARM / CEILING / CORD



◀ **R918-M024LDNW40K-RTC-E6-41**
18" Radial Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in Black.



▶ **R918-M024LDNW40K-RTC-BLC-41**
18" Radial Shade with a 24w LED module and driver housing canopy all in Black on an 8' Black cord.
For White cord, change BLC to WHC.



◀ **R918-M024LDNW40K-RTC-E6-42**
18" Radial Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.



▶ **R918-M024LDNW40K-RTC-BLC-42**
18" Radial Shade with a 24w LED module and driver housing canopy all in Forest Green on an 8' Black cord.
For White cord, change BLC to WHC.



◀ **R918-M024LDNW40K-RTC-E6-44**
18" Radial Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in White.



▶ **R918-M024LDNW40K-RTC-BLC-44**
18" Radial Shade with a 24w LED module and driver housing canopy all in White on an 8' Black cord.
For White cord, change BLC to WHC.



◀ **R918-M024LDNW40K-RTC-E6-49**
18" Radial Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.



▶ **R918-M024LDNW40K-RTC-BLC-49**
18" Radial Shade with a 24w LED module and driver housing canopy all in Galvanized on an 8' Black cord.
For White cord, change BLC to WHC.

18" RADIAL SHADE: Incandescent | Fluorescent

ARM



◀ R918-E6-41

18" Radial Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 200w.



▶ R918-42WPL-RTC-E6-200GLCL-GUP-41

18" Radial Shade with Clear Glass, Wire Guard, E6 Arm and RTC Ballast Housing in Black. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



◀ R918-E6-42

18" Radial Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 200w.



▶ R918-42WPL-RTC-E6-200GLCL-GUP-42

18" Radial Shade with Clear Glass, Wire Guard, E6 Arm and RTC Ballast Housing in Forest Green. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



◀ R918-E6-44

18" Radial Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 200w.



▶ R918-42WPL-RTC-E6-200GLCL-GUP-44

18" Radial Shade with Clear Glass, Wire Guard, E6 Arm and RTC Ballast Housing in White. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



◀ R918-E6-49

18" Radial Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 200w.



▶ R918-42WPL-RTC-E6-200GLCL-GUP-49

18" Radial Shade with Clear Glass, Wire Guard, E6 Arm and RTC Ballast Housing in Galvanized. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.

18" RADIAL SHADE: Incandescent

CEILING / CORD



◀ R918-BLC-41

18" Radial Shade in Black with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.

R918-WHC-41 ▶

18" Radial Shade in Black with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ R918-BLC-42

18" Radial Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.

R918-WHC-42 ▶

18" Radial Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ R918-BLC-44

18" Radial Shade in White with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.

R918-WHC-44 ▶

18" Radial Shade in White with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ R918-BLC-49

18" Radial Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.

R918-WHC-49 ▶

18" Radial Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



18" RADIAL SHADE: Fluorescent

CEILING / CORD



- ◀ **R918-42WPL-RTC-BLC-200GLCL-GUP-41**
18" Radial Shade with Clear Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.

▶ **R918-42WPL-RTC-WHC-200GLCL-GUP-41**

- 18" Radial Shade with Clear Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



- ◀ **R918-42WPL-RTC-BLC-200GLCL-GUP-42**
18" Radial Shade with Clear Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.

▶ **R918-42WPL-RTC-WHC-200GLCL-GUP-42**

- 18" Radial Shade with Clear Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



- ◀ **R918-42WPL-RTC-BLC-200GLCL-GUP-44**
18" Radial Shade with Clear Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.

▶ **R918-42WPL-RTC-WHC-200GLCL-GUP-44**

- 18" Radial Shade with Clear Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



- ◀ **R918-42WPL-RTC-BLC-200GLCL-GUP-49**
18" Radial Shade with Clear Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.

▶ **R918-42WPL-RTC-WHC-200GLCL-GUP-49**

- 18" Radial Shade with Clear Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Frosted Glass.



16" DEEP BOWL SHADE: LED



ARM / CEILING / CORD



◀ D616-M016LDNW40K-RTC-E6-41

16" Deep Bowl Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Black.

D616-M016LDNW40K-RTC-BLC-41 ▶

16" Deep Bowl Shade with a 16w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC.



◀ D616-M016LDNW40K-RTC-E6-42

16" Deep Bowl Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.

D616-M016LDNW40K-RTC-BLC-42 ▶

16" Deep Bowl Shade with a 16w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC.



◀ D616-M016LDNW40K-RTC-E6-44

16" Deep Bowl Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in White.

D616-M016LDNW40K-RTC-BLC-44 ▶

16" Deep Bowl Shade with a 16w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC.



◀ D616-M016LDNW40K-RTC-E6-49

16" Deep Bowl Shade with a 16w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.

D616-M016LDNW40K-RTC-BLC-49 ▶

16" Deep Bowl Shade with a 16w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC.



16" DEEP BOWL SHADE: Incandescent | Fluorescent

ARM



◀ D616-E6-41

16" Deep Bowl Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 200w.



D616-32WPL-RTC-E6-100GLFR-GUPC-41 ▶

16" Deep Bowl Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in Black. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ D616-E6-42

16" Deep Bowl Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 200w.



D616-32WPL-RTC-E6-100GLFR-GUPC-42 ▶

16" Deep Bowl Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in Forest Green. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ D616-E6-44

16" Deep Bowl Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 200w.



D616-32WPL-RTC-E6-100GLFR-GUPC-44 ▶

16" Deep Bowl Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in White. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



◀ D616-E6-49

16" Deep Bowl Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 200w.



D616-32WPL-RTC-E6-100GLFR-GUPC-49 ▶

16" Deep Bowl Shade with Frosted Glass, Cast Guard, E6 Arm and RTC Ballast Housing in Galvanized. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

16" DEEP BOWL SHADE: Incandescent

CEILING / CORD



◀ D616-BLC-41

16" Deep Bowl Shade in Black with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



D616-WHC-41 ▶

16" Deep Bowl Shade in Black with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ D616-BLC-42

16" Deep Bowl Shade in Forest Green with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



D616-WHC-42 ▶

16" Deep Bowl Shade in Forest Green with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ D616-BLC-44

16" Deep Bowl Shade in White with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



D616-WHC-44 ▶

16" Deep Bowl Shade in White with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ D616-BLC-49

16" Deep Bowl Shade in Galvanized with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



D616-WHC-49 ▶

16" Deep Bowl Shade in Galvanized with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.

16" DEEP BOWL SHADE: Fluorescent

CEILING / CORD



- ◀ **D616-32WPL-RTC-BLC-100GLFR-GUPC-41**
16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **D616-32WPL-RTC-WHC-100GLFR-GUPC-41**

- 16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



- ◀ **D616-32WPL-RTC-BLC-100GLFR-GUPC-42**
16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **D616-32WPL-RTC-WHC-100GLFR-GUPC-42**

- 16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



- ◀ **D616-32WPL-RTC-BLC-100GLFR-GUPC-44**
16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **D616-32WPL-RTC-WHC-100GLFR-GUPC-44**

- 16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



- ◀ **D616-32WPL-RTC-BLC-100GLFR-GUPC-49**
16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.

▶ **D616-32WPL-RTC-WHC-100GLFR-GUPC-49**

- 16" Deep Bowl Shade with Frosted Glass, Cast Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL. Also available in Clear Glass.



18" DEEP BOWL SHADE: LED



ARM / CEILING / CORD



◀ D618-M024LDNW40K-RTC-E6-41

18" Deep Bowl Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in Black.

▶ D618-M024LDNW40K-RTC-BLC-41

18" Deep Bowl Shade with a 24w LED module and driver housing canopy all in Black on an 8' Black cord. For White cord, change BLC to WHC.



◀ D618-M024LDNW40K-RTC-E6-42

18" Deep Bowl Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in Forest Green.

▶ D618-M024LDNW40K-RTC-BLC-42

18" Deep Bowl Shade with a 24w LED module and driver housing canopy all in Forest Green on an 8' Black cord. For White cord, change BLC to WHC.



◀ D618-M024LDNW40K-RTC-E6-44

18" Deep Bowl Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in White.

▶ D618-M024LDNW40K-RTC-BLC-44

18" Deep Bowl Shade with a 24w LED module and driver housing canopy all in White on an 8' Black cord. For White cord, change BLC to WHC.



◀ D618-M024LDNW40K-RTC-E6-49

18" Deep Bowl Shade with a 24w LED module and driver housing canopy mounted on an E6 arm all in Galvanized.

▶ D618-M024LDNW40K-RTC-BLC-49

18" Deep Bowl Shade with a 24w LED module and driver housing canopy all in Galvanized on an 8' Black cord. For White cord, change BLC to WHC.



18" DEEP BOWL SHADE: Incandescent | Fluorescent

ARM



◀ D618-E6-41

18" Deep Bowl Shade with E6 Arm in Black. Medium Base Socket. Maximum Wattage 200w.



▶ D618-42WPL-RTC-200GLFR-GUP-E6-41

18" Deep Bowl Shade with Frosted Glass, Wire Guard, E6 Arm and RTC Ballast Housing in Black. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ D618-E6-42

18" Deep Bowl Shade with E6 Arm in Forest Green. Medium Base Socket. Maximum Wattage 200w.



▶ D618-42WPL-RTC-200GLFR-GUP-E6-42

18" Deep Bowl Shade with Frosted Glass, Wire Guard, E6 Arm and RTC Ballast Housing in Forest Green. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ D618-E6-44

18" Deep Bowl Shade with E6 Arm in White. Medium Base Socket. Maximum Wattage 200w.



▶ D618-42WPL-RTC-200GLFR-GUP-E6-44

18" Deep Bowl Shade with Frosted Glass, Wire Guard, E6 Arm and RTC Ballast Housing in White. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ D618-E6-49

18" Deep Bowl Shade with E6 Arm in Galvanized. Medium Base Socket. Maximum Wattage 200w.



▶ D618-42WPL-RTC-200GLFR-GUP-E6-49

18" Deep Bowl Shade with Frosted Glass, Wire Guard, E6 Arm and RTC Ballast Housing in Galvanized. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

18" DEEP BOWL SHADE: Incandescent

CEILING / CORD




◀ D618-BLC-41

18" Deep Bowl Shade in Black with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ D618-WHC-41

18" Deep Bowl Shade in Black with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ D618-BLC-42

18" Deep Bowl Shade in Forest Green with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ D618-WHC-42

18" Deep Bowl Shade in Forest Green with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ D618-BLC-44

18" Deep Bowl Shade in White with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ D618-WHC-44

18" Deep Bowl Shade in White with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.



◀ D618-BLC-49

18" Deep Bowl Shade in Galvanized with 8' Black Cord. Medium Base Socket. Maximum Wattage 200w.



▶ D618-WHC-49

18" Deep Bowl Shade in Galvanized with 8' White Cord. Medium Base Socket. Maximum Wattage 200w.

18" DEEP BOWL SHADE: Fluorescent

CEILING / CORD



◀ **D618-42WPL-RTC-BLC-200GLFR-GUP-41**

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

D618-42WPL-RTC-WHC-200GLFR-GUP-41 ▶

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **D618-42WPL-RTC-BLC-200GLFR-GUP-42**

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

D618-42WPL-RTC-WHC-200GLFR-GUP-42 ▶

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **D618-42WPL-RTC-BLC-200GLFR-GUP-44**

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

D618-42WPL-RTC-WHC-200GLFR-GUP-44 ▶

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



◀ **D618-42WPL-RTC-BLC-200GLFR-GUP-49**

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.

D618-42WPL-RTC-WHC-200GLFR-GUP-49 ▶

18" Deep Bowl Shade with Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL. Also available in Clear Glass.



POST MOUNT



◀ **W520-M024LDNW40K-PM10-BD4S9.125-41**
20" Warehouse shade with a 24w LED module on a Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft and a Finished Height of 9' and .125 wall all in Black. Anchor Bolts included.

W520-M024LDNW40K-PM10-BD4S9.125-42 ▶
20" Warehouse shade with a 24w LED module on a Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft and a Finished Height of 9' and .125 wall all in Forest Green. Anchor Bolts included.



◀ **W520-M024LDNW40K-PM10-BD4S9.125-44**
20" Warehouse shade with a 24w LED module on a Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft and a Finished Height of 9' and .125 wall all in White. Anchor Bolts included.

W520-M024LDNW40K-PM10-BD4S9.125-49 ▶
20" Warehouse shade with a 24w LED module on a Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft and a Finished Height of 9' and .125 wall all in Galvanized. Anchor Bolts included.



20" POST MOUNT SERIES: Incandescent

POST MOUNT



◀ **W520-PM10-BD3S9.125-41**

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in Black. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.



W520-PM10-BD3S9.125-42 ▶

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in Forest Green. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.



◀ **W520-PM10-BD3S9.125-44**

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in White. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.

W520-PM10-BD3S9.125-49 ▶
20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in Galvanized. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.



TWO 20" POST MOUNT SERIES: LED



POST MOUNT



◀ **W520(2)-M024LDNW40K-PM20-BD4S9.125-41**

Two 20" Warehouse shades with 24w LED modules on a double Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft with a Finished Height of 9' and .125 wall all in Black.
Anchor Bolts included.

W520(2)-M024LDNW40K-PM20-BD4S9.125-42 ▶

Two 20" Warehouse shades with 24w LED modules on a double Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft with a Finished Height of 9' and .125 wall all in Forest Green.
Anchor Bolts included.



◀ **W520(2)-M024LDNW40K-PM20-BD4S9.125-44**

Two 20" Warehouse shades with 24w LED modules on a double Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft with a Finished Height of 9' and .125 wall all in White.
Anchor Bolts included.

W520(2)-M024LDNW40K-PM20-BD4S9.125-49 ▶

Two 20" Warehouse shades with 24w LED modules on a double Post Mount Arm with a 4" Diameter Smooth Bolt Down Shaft with a Finished Height of 9' and .125 wall all in Galvanized.
Anchor Bolts included.



TWO 20" POST MOUNT SERIES: **Incandescent**

POST MOUNT



◀ **W520(2)-PM20-BD3S9.125-41**

Two 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in Black. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.

W520(2)-PM20-BD3S9.125-42 ▶

Two 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in Forest Green. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.



◀ **W520(2)-PM20-BD3S9.125-44**

Two 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in White. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.



W520(2)-PM20-BD3S9.125-49 ▶

Two 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in Galvanized. Anchor bolts included. Medium Base Socket. Maximum Wattage 200w.



A modern office reception desk is the central focus. The desk has a dark, polished top and a light-colored wood-grain base. On the desk, there is a computer monitor, a laptop, a potted plant, and some papers. Behind the desk is a large window with a dark frame, divided into four panes. The window looks out onto a green landscape with trees and a red car. To the right of the window is a brick wall with a black TV mounted on it. Two industrial-style pendant lights hang from the ceiling. The overall atmosphere is bright and professional.

G CENTRAL

ST. 1977

TECHNICAL SPECIFICATIONS

CONSTRUCTION

ANP Lighting RLM shades are constructed of heavy duty spun aluminum. Driver housings are cast aluminum with spun covers for arm mountings and spun aluminum for cord mountings. Our standard polyester powder coat paint finish provides superior gloss, color retention and scratch resistance. Our finish is suitable for indoor or outdoor applications. Inside of shade is a reflective white finish for all colors except the galvanized paint finish. Screw hardware is stainless steel and may not match fixture finish. Lamps are not included with medium base fixtures.

LED

ANP Lighting LED RLM fixtures are powered by Cree® LED modules.

Efficacy of 125 lumens per watt provides 1250 lumens (10-watt), 2000 lumens (16-watt) or 3000 lumens (24-watt). CRI is 90 and standard color temperature is 4000K. 50,000 hours at L70.

Drivers are 120/277 universal voltage. Dimming to 1% and 0-10v, ELV and TRIAC dimming protocols are standard.

LED WATTAGE	CCT	LUMINOUS FLUX	SYSTEM WATTAGE	TYPICAL EFFICACY
10w	2700K	1250	12w	125
10w	3000K	1250	12w	125
10w	3500K	1250	12w	125
10w	4000K	1250	12w	125
16w	2700K	2000	19w	125
16w	3000K	2000	19w	125
16w	3500K	2000	19w	125
16w	4000K	2000	19w	125
24w	2700K	3000	28w	125
24w	3000K	3000	28w	125
24w	3500K	3000	28w	125
24w	4000K	3000	28w	125

CERTIFICATIONS

Cord Mounts are UL listed for dry locations. Arm Mounts are UL listed for wet locations.

WARRANTY

1-year limited warranty on the fixture, 5-year limited warranty on the LED module and driver.

© 2018 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

Oversized Shades

Behold the beauty and maximize the light for visual impact.

Not all sizes and configurations are shown.



[Download Online Brochure](#)



Retropolitan

Simple industrial shades with chic retro styling.

Not all sizes and configurations are shown.



[Download Online Brochure](#)



Madison

Stunning shade profile paired with industrial trim.

Not all sizes and configurations are shown.



[Download Online Brochure](#)

